Version: 2020.01

Last update: 2020/11/20 11:18

DOE300 - Kubernetes: Container Orchestration

Présentation

Objectives: Learn container orchestration with Kubernetes. **Who can benefit**: Linux Technicians and Administrators.

Prerequisites: Taken the DOE100 - Docker: Implementation and DOE200 - Docker:

Administration courses or possess equivalent skills.

Learning technique: Clear, theoretical course content divided into lessons and extensive LABS. **Student Progression**: Student progression is monitored both in terms of effective course duration

and in terms comprehension using self-assessment tests.

Duration: 2 days (14 hours).

Prerequisites

Hardware

- A computer running MacOS, Linux, Windows[™] or Solaris[™],
- · AZERTY FR or QWERTY US keyboard,
- Minimum 4 GB of RAM,
- Minimum dual-core processor,
- Headphones/Earphones,
- A microphone (optional).

Software

- If Windows[™] Putty and WinSCP,
- Chrome or Firefox web browser.

Internet

- A fast Internet connection (4G minimum) and **no** proxy,
- Unhindered access to the following domains: https://my-short.link, https://itraining.center, https://ittraining.io, https://ittraining.institute, https://ittraining.support.

Curriculum

Day #1

- DOE300 Kubernetes: container orchestration 2 hours.
 - Prerequisites
 - Hardware
 - Software
 - Internet
 - Using the Infrastructure
 - Connecting to the Cloud Server
 - Linux, MacOS and Windows 10 with a built-in ssh client
 - Windows 7 and Windows 10 without a built-in ssh client
 - Creating the Host-Only Network 192.168.56.0/24
 - Changing the kubemaster virtual machine's RAM
 - Starting the Virtual Machines
 - Connecting to the Virtual Machines
 - Checking the /etc/hosts files
 - Course Curriculum
- DOE301 Creating a Kubernetes cluster 2 hours.
 - What is container orchestration?
 - What is Kubernetes (k8s)?
 - Master
 - Nodes (Minions)
 - LAB #1 Creating a Kubernetes cluster
 - 1.1 Testing the network
 - 1.2 Initialising the cluster Master
 - 1.3 Installing a network add-on for inter-POD communications
 - 1.4 Connecting the nodes to the Master
- DOE302 PODs, Replication Controllers, ReplicaSets and Deployments 3 hours.
 - ∘ LAB #1 Creating a POD
 - 1.1 What is a POD?
 - 1.2 Manually creating a POD
 - 1.3 Creating a POD using a YAML file
 - apiVersion
 - kind
 - metadata
 - spec
 - Using the YAML file
 - LAB #2 Using Replication Controllers and ReplicaSets
 - 2.1 Replication Controllers
 - What is a Replication Controller?
 - Implementation
 - 2.2 ReplicaSets
 - What is a ReplicaSet?
 - Implementation
 - LAB #3 Using Deployments
 - 3.1 What is a Deployment?

- 3.2 Implementation
 - Rollouts
 - Rolling Updates
 - Rollbacks

Day #2

- DOE303 Managing the network, services and a microservices architecture 3 hours.
 - LAB #1 Managing the network and services
 - 1.1 Presentation
 - 1.2 NodePort
 - 1.3 ClusterIP
 - LAB #2 Managing a microservices architecture
 - 2.1 Presentation
 - 2.2 Creating Deployments
 - 2.3 Creating Services
 - 2.4 Deploying the application
 - 2.5 Testing the application
 - 2.6 Scaling Up
- DOE304 Securing Kubernetes 3 hours.
 - LAB #1 Role Based Acces Control and TLS certificates
 - 1.1 Presentation
 - 1.2 The /etc/kubernetes/manifests/kube-apiserver.yaml file
 - 1.3 Creating a serviceAccount
 - 1.4 Creating a user
 - 1.5 TLS certificates
 - LAB #2 Implementing POD security
 - 2.1 Presentation
 - 2.2 Kubernetes Security Context
 - ReadOnlyRootFilesystem
 - drop
 - 2.3 Kubernetes Pod Security Policy
 - 2.4 Kubernetes Network Policies
 - 2.5 Kubernetes Resource Allocation Management
 - LAB #3 Securing Kubernetes' components
 - 3.1 Kubelet API access
 - 3.2 Kubelet and Kubernetes API access
 - 3.3 Securing etcd
- **DOE305 Course completion** 1 hour.
 - What's next?
 - Training materials
 - What you need
 - Hardware
 - Software
 - Virtual Machine
 - What we covered
 - Day #1
 - Day #2
 - Resetting the course infrastructure

- $\circ\,$ Evaluate the training session
- Thanks

 copyright © 2020 Hugh Norris
BR> Non-contractual document. The curriculum can be changed without notice. changed without notice. changed withou