

Dernière mise-à-jour : 2020/01/30 03:27

Command Line Interface

The Shell

A shell is a **Command Line Interpreter** (C.L.I). It is used to give instructions or **commands** to the operating system (OS).

The word shell is generic. There are many shells under Unix and Linux such as:

Shell	Name	Release Date	Inventer	Command	Comments
tsh	Thompson Shell	1971	Ken Thompson	sh	The first shell
sh	Bourne Shell	1977	Stephen Bourne	sh	The shell common to all Unix and Linux OSs: /bin/sh
csh	C-Shell	1978	Bill Joy	csh	The BSD shell: /bin/csh
tcsh	Tenex C-Shell	1979	Ken Greer	tcsh	A fork of the csh shell: /bin/tcsh
ksh	Korn Shell	1980	David Korn	ksh	Open Source since 2005: /bin/ksh
bash	Bourne Again Shell	1987	Brian Fox	bash	The default shell for Linux, MacOS X, Solaris 11: /bin/bash
zsh	Z Shell	1990	Paul Falstad	zsh	Zsh is an extended Bourne shell with a large number of improvements, including some features of bash, ksh, and tcsh: /usr/bin/zsh

When using Debian 8 **/bin/sh** is a soft link to **/bin/dash** :

```
trainee@debian8:~$ ls -l /bin/sh
lrwxrwxrwx 1 root root 4 Nov  8 2014 /bin/sh -> dash
```

/bin/bash

This unit covers the /bin/bash shell. The **/bin/bash** shell allows you to:

- Recall previously typed commands
- Auto-generate the end of a file name
- Use Aliases
- Use tables
- Use C language numerical and math variables
- Manage strings
- Use Functions

A command always starts with a keyword. This keyword is interpreted by the shell, in the order shown, as one of the following:

- An Alias,
- A Function,
- A Built-in Command,
- An External Command.

Internal And External Commands

The `/bin/bash` shell comes with a set of built-in or *internal* commands. External commands are executable binaries or scripts generally found in one of the following directories:

- `/bin`,
- `/sbin`,
- `/usr/bin`,
- `/usr/sbin`.

To check if a command is internal to the shell or external, use the **type** command:

```
trainee@debian8:~$ type cd
cd is a shell builtin
```

External commands are either binaries or scripts that can be found in `/bin`, `/sbin`, `/usr/bin` or `/usr/sbin` :

```
trainee@debian8:~$ type passwd
```

```
passwd is /usr/bin/passwd
```

Aliases

Aliases are strings that are aliased to a command, a command and some options or even several commands. Aliases are specific to the shell in which they are created and unless specified in one of the start-up files, they disappear when the shell is closed:

```
trainee@debian8:~$ type ls
ls is aliased to `ls --color=auto`
```



Important: Note that the **ls** alias is an alias to the **ls** command itself.

An alias is defined using the **alias** command:

```
trainee@debian8:~$ alias dir='ls -l'
trainee@debian8:~$ dir
total 36
-rw-r--r-- 1 trainee trainee    0 Aug 19 17:08 aac
-rw-r--r-- 1 trainee trainee    0 Aug 19 17:08 abc
-rw-r--r-- 1 trainee trainee    0 Aug 19 17:08 bca
drwxr-xr-x 2 trainee trainee 4096 May  1 2016 Desktop
drwxr-xr-x 2 trainee trainee 4096 May  1 2016 Documents
drwxr-xr-x 2 trainee trainee 4096 May  1 2016 Downloads
drwxr-xr-x 2 trainee trainee 4096 May  1 2016 Music
drwxr-xr-x 2 trainee trainee 4096 May  1 2016 Pictures
drwxr-xr-x 2 trainee trainee 4096 May  1 2016 Public
drwxr-xr-x 2 trainee trainee 4096 May  1 2016 Templates
drwxr-xr-x 2 trainee trainee 4096 May  1 2016 Videos
-rw-r--r-- 1 trainee trainee  391 Aug 18 23:34 vitext
```

```
-rw-r--r-- 1 trainee trainee 0 Aug 19 17:08 xyz
```



Important: Note that **dir** exists as a command. By creating an alias of the same name, the alias will be executed in place of the command.

The list of currently defined aliases is obtained by using the **alias** command with no options:

```
trainee@debian8:~$ alias
alias dir='ls -l'
alias ls='ls --color=auto'
```



Important: In the above list you can see, without distinction, the system wide aliases created by system start up scripts and the user created alias **dir**. The latter is only available for trainee and will disappear when the current session is terminated.

To force the shell to use the command and not the alias, you can precede the command with the **** character:

```
trainee@debian8:~$ \dir
aac bca Documents Music Public Videos xyz
abc Desktop Downloads Pictures Templates vitext
```

To delete an alias, simply use the **unalias** command:

```
trainee@debian8:~$ unalias dir
trainee@debian8:~$ dir
aac bca Documents Music Public Videos xyz
abc Desktop Downloads Pictures Templates vitext
```

Each user's shell is defined by root in the **/etc/passwd** file:

```
trainee@debian8:~$ cat /etc/passwd
root:x:0:0:root:/root:/bin/bash
daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin
bin:x:2:2:bin:/bin:/usr/sbin/nologin
sys:x:3:3:sys:/dev:/usr/sbin/nologin
sync:x:4:65534:sync:/bin:/bin/sync
games:x:5:60:games:/usr/games:/usr/sbin/nologin
man:x:6:12:man:/var/cache/man:/usr/sbin/nologin
lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin
mail:x:8:8:mail:/var/mail:/usr/sbin/nologin
news:x:9:9:news:/var/spool/news:/usr/sbin/nologin
uucp:x:10:10:uucp:/var/spool/uucp:/usr/sbin/nologin
proxy:x:13:13:proxy:/bin:/usr/sbin/nologin
www-data:x:33:33:www-data:/var/www:/usr/sbin/nologin
backup:x:34:34:backup:/var/backups:/usr/sbin/nologin
list:x:38:38:Mailing List Manager:/var/list:/usr/sbin/nologin
irc:x:39:39:ircd:/var/run/ircd:/usr/sbin/nologin
gnats:x:41:41:Gnats Bug-Reporting System (admin):/var/lib/gnats:/usr/sbin/nologin
nobody:x:65534:65534:nobody:/nonexistent:/usr/sbin/nologin
systemd-timesync:x:100:103:systemd Time Synchronization,,,:/run/systemd:/bin/false
systemd-network:x:101:104:systemd Network Management,,,:/run/systemd/netif:/bin/false
systemd-resolve:x:102:105:systemd Resolver,,,:/run/systemd/resolve:/bin/false
systemd-bus-proxy:x:103:106:systemd Bus Proxy,,,:/run/systemd:/bin/false
trainee:x:1000:1000:trainee,,,:/home/trainee:/bin/bash
sshd:x:104:65534::/var/run/sshd:/usr/sbin/nologin
Debian-exim:x:105:110::/var/spool/exim4:/bin/false
messagebus:x:106:111::/var/run/dbus:/bin/false
statd:x:107:65534::/var/lib/nfs:/bin/false
avahi-autoipd:x:108:113:Avahi autoip daemon,,,:/var/lib/avahi-autoipd:/bin/false
avahi:x:109:115:Avahi mDNS daemon,,,:/var/run/avahi-daemon:/bin/false
colord:x:110:117:colord colour management daemon,,,:/var/lib/colord:/bin/false
dnsmasq:x:111:65534:dnsmasq,,,:/var/lib/misc:/bin/false
```

```
speech-dispatcher:x:112:29:Speech Dispatcher,,,:/var/run/speech-dispatcher:/bin/sh
pulse:x:113:119:PulseAudio daemon,,,:/var/run/pulse:/bin/false
rtkit:x:114:121:RealtimeKit,,,:/proc:/bin/false
saned:x:115:122::/var/lib/saned:/bin/false
usbmux:x:116:46:usbmux daemon,,,:/var/lib/usbmux:/bin/false
lightdm:x:117:124:Light Display Manager:/var/lib/lightdm:/bin/false
```

However, each user can change his shell using the **chsh** command. The shells available to users are listed in the **/etc/shells** file:

```
trainee@debian8:~$ cat /etc/shells
# /etc/shells: valid login shells
/bin/sh
/bin/dash
/bin/bash
/bin/rbash
/usr/bin/screen
```

Now use the **echo** command to view the contents of the system variable SHELL for your current session:

```
trainee@debian8:~$ echo $SHELL
/bin/bash
```

Now change your shell to **/bin/sh** using the **chsh** command:

```
trainee@debian8:~$ chsh
Password: trainee
Changing the login shell for trainee
Enter the new value, or press ENTER for the default
  Login Shell [/bin/bash]: /bin/sh
```



Important: Note that the password will not be printed to standard output.

Now check your current shell:

```
trainee@debian8:~$ echo $SHELL
/bin/bash
```

At first glance nothing has happened. However if you view your entry in the **/etc/passwd** file you will notice that your login shell has changed:

```
trainee@debian8:~$ cat /etc/passwd | grep trainee
trainee:x:1000:1000:trainee,,,:/home/trainee:/bin/sh
```



Important : The `/bin/sh` shell will be your active shell the next time you login.

Now change your shell back to **/bin/bash** using the **chsh** command:

```
trainee@debian8:~$ chsh
Password: trainee
Changing the login shell for trainee
Enter the new value, or press ENTER for the default
  Login Shell [/bin/sh]: /bin/bash
```



Important: Note that the password will not be printed to standard output.

The Prompt

As you have already noticed, the **prompt** under Linux is different for a normal user and root:

- `$` for a user,

- # for root.

The history Command

/bin/bash keeps track of commands that have been previously executed. To access the *command history*, use the following command:

```
trainee@debian8:~$ history | more
 1  su -
 2  su -
 3  exit
 4  su -
 5  exit
 6  ls -l /var
 7  su -
 8  su -
 9  vi vitext
10  view vitext
11  clear
12  stty -a
13  date
14  who
15  df
16  df -h
17  free
18  free -h
19  whoami
20  su -
21  clear
22  su -
23  exit
--More--
```



Important: The history is specific to each user.

The history command uses **emacs** style control characters. As a result you can navigate through the list as follows:

Control Character	Action
[CTRL]-[P] (= Up Arrow)	Navigates backwards through the list
[CTRL]-[N] (= Down Arrow)	Navigates forwards through the list

To move around in the history:

Control Character	Action
[CTRL]-[A]	Move to the beginning of the line
[CTRL]-[E]	Move to the end of the line
[CTRL]-[B]	Move one character to the left
[CTRL]-[F]	Move one character to the right
[CTRL]-[D]	Delete the character under the cursor

Pour rechercher dans l'historique il convient d'utiliser les touches :

Control Character	Action
[CTRL]-[R] <i>string</i>	Search backwards for <i>string</i> in the history. Using [CTRL]-[R] again will search for the previous occurrence of <i>string</i>
[CTRL]-[S] <i>string</i>	Search forwards for <i>string</i> in the history. Using [CTRL]-[S] again will search for the next occurrence of <i>string</i>
[CTRL]-[G]	Quit the search mode

It is also possible to recall the last command executed by using the **!!** characters:

```
trainee@debian8:~$ ls
aac  bca      Documents  Music      Public     Videos  xyz
abc  Desktop  Downloads  Pictures   Templates  vitext
trainee@debian8:~$ !!
```

```
ls
aac bca Documents Music Public Videos xyz
abc Desktop Downloads Pictures Templates vitext
```

Alternatively, to execute a command in the list, you can use the list number preceded by the **!** character:

```
trainee@debian8:~$ !52
ls
aac bca Documents Music Public Videos xyz
abc Desktop Downloads Pictures Templates vitext
```

The environmental variables associated with the history are set in the `~/.bashrc` file where `~/` indicates the home directory of the user concerned:

```
trainee@debian8:~$ cat .bashrc | grep HISTSIZE
# for setting history length see HISTSIZE and HISTFILESIZE in bash(1)
HISTSIZE=1000
```

As you can see, in the previous case the **HISTSIZE** value is set to **1000**. This means that the last 1,000 commands are held in the history.

The history command stores data in the `~/.bash_history` file for each user. The commands for the current bash session are stored in the file when the session is closed:

```
trainee@debian8:~$ nl .bash_history | more
 1 su -
 2 su -
 3 exit
 4 su -
 5 exit
 6 ls -l /var
 7 su -
 8 su -
 9 vi vitext
10 view vitext
11 clear
```

```
12 stty -a
13 date
14 who
15 df
16 df -h
17 free
18 free -h
19 whoami
20 su -
21 clear
22 su -
23 exit
--More--
```



Important : Note the use of the **nl** command to number the lines in the output of the contents of **.bash_history** file.

The TAB key

/bin/bash can auto-generate the end of a file name. Consider the following example:

```
$ ls .b [Tab][Tab][Tab]
```

By hitting the Tab key three times, the system shows you the files that match:

```
trainee@debian8:~$ ls .bash
.bash_history  .bash_logout  .bashrc
```

This same technique can also be used to auto-generate command names. Consider the following example:

```
$ mo [Tab][Tab]
```

By hitting the `Tab` twice the system lists all known commands available to the user and starting with **mo**:

```
trainee@debian8:~$ mo
moc          moggsplit   more        mount       mountpoint  mousepad
```

Metacharacters

It is often necessary and desirable to be able to work with several files at one time as opposed to repeating the operation on each file individually. For this reason, bash accepts the use of Metacharacters:

Metacharacter	Description
*	Matches one or more characters
?	Matches a single character
[abc]	Matches any one of the characters between square brackets
[!abc]	Matches any character except those between square brackets
[m-t]	Matches any character from m through to t
[!m-t]	Matches any character other than m through to t
?(expression1 expression2 ...)	Matches 0 or 1 occurrence of expression1 OR 0 or 1 occurrence of expression2 OR ...
*(expression1 expression2 ...)	Matches 0 to x occurrences of expression1 OR 0 to x occurrences of expression2 OR ...
+(expression1 expression2 ...)	Matches 1 to x occurrences of expression1 OR 1 to x occurrences of expression2 OR ...
@(expression1 expression2 ...)	Matches 1 occurrence of expression1 OR 1 occurrence of expression2 OR ...
!(expression1 expression2 ...)	Matches 0 occurrences of expression1 OR 0 occurrences of expression2 OR ...

To illustrate the use of Metacharacters, you need to create a directory in your home directory and then create some files within it:

```
trainee@debian8:~$ mkdir training
trainee@debian8:~$ cd training
trainee@debian8:~/training$ touch f1 f2 f3 f4 f5
```

The * Metacharacter

Now use the Metacharacter *:

```
trainee@debian8:~/training$ echo f*  
f1 f2 f3 f4 f5
```



Important: Note that the * is used as a wild card which replaces 0 or more characters.

The ? Metacharacter

Create two more files:

```
trainee@debian8:~/training$ touch f52 f62
```

Now use the Metacharacter ?:

```
trainee@debian8:~/training$ echo f?2  
f52 f62
```



Important: Note that the ? is used as a wild card which replaces a single character.

The [] Metacharacter

The [] Metacharacter can take several forms:

Metacharacter	Description
[xyz]	Represents either x or y or z
[m-t]	
[!xyz]	Represents any character other than x or y or z
[!m-t]	Represents any character outside of the range m to t

To demonstrate the use of the metacharacter [], create a file called **a100**:

```
trainee@debian8:~/training$ touch a100
```

The use of this Metacharacter can be demonstrated with the following examples:

```
trainee@debian8:~/training$ echo [a-f]*  
a100 f1 f2 f3 f4 f5 f52 f62  
trainee@debian8:~/training$ echo [af]*  
a100 f1 f2 f3 f4 f5 f52 f62
```



Important: Note that all the files starting with either **a**, **b**, **c**, **d**, **e** or **f** are displayed.

```
trainee@debian8:~/training$ echo [!a]*  
f1 f2 f3 f4 f5 f52 f62
```



Important: Note that all the files in the directory are displayed except the file starting with **a** .

```
trainee@debian8:~/training$ echo [a-b]*
```

```
a100
```



Important: Note that only the file starting with **a** is displayed since no file starting with **b** is present.

```
trainee@debian8:~/training$ echo [a-f]
[a-f]
```



Important: Note that in the above example, since no file called **a**, **b**, **c**, **d**, **e** or **f** exists in the directory, the **echo** command simply returns the filter used.

The extglob Option

In order to use **?(expression)**, ***(expression)**, **+(expression)**, **@(expression)** and **!(expression)**, you need to activate the **extglob** option:

```
trainee@debian8:~/training$ shopt -s extglob
```

The **shopt** command is used to activate and deactivate the shopt option of the shell.

The list of all the options can be displayed by simply using the **shopt** command:

```
trainee@debian8:~/training$ shopt
autocd          off
cdable_vars     off
cdspell         off
checkhash       off
checkjobs       off
```

```
checkwinsize    on
cmdhist         on
compat31        off
compat32        off
compat40        off
compat41        off
compat42        off
complete_fullquote on
direxpand       off
dirspell        off
dotglob         off
execfail        off
expand_aliases on
extdebug        off
extglob         on
extquote        on
failglob        off
force_ignores  on
globstar        off
globasciiranges off
gnu_errfmt      off
histappend      on
histreedit      off
histverify      off
hostcomplete    off
huponexit       off
interactive_comments on
lastpipe        off
lithist         off
login_shell     on
mailwarn        off
no_empty_cmd_completion off
nocaseglob      off
nocasematch     off
```

```
nullglob      off
progcomp      on
promptvars    on
restricted_shell  off
shift_verbose off
sourcepath    on
xpg_echo      off
```

?(expression)

Create the following files:

```
trainee@debian8:~/training$ touch f f.txt f123.txt f123123.txt f123123123.txt
```

Execute the following command:

```
trainee@debian8:~/training$ ls f?(123).txt
f123.txt  f.txt
```



Important: Note that the command displays file names that match 0 or 1 occurrences of the string **123**.

*(expression)

Execute the following command:

```
trainee@debian8:~/training$ ls f*(123).txt
f123123123.txt  f123123.txt  f123.txt  f.txt
```



Important: Note that the command displays file names that match 0 to x occurrences of the string **123**.

+(expression)

Execute the following command:

```
trainee@debian8:~/training$ ls f+(123).txt  
f123123123.txt f123123.txt f123.txt
```



Important: Note that the command displays file names that match 1 to x occurrences of the string **123..**

@(expression)

Execute the following command:

```
trainee@debian8:~/training$ ls f@(123).txt  
f123.txt
```



Important: Note that the command displays file names that match 1 occurrence of the string **123**.

!(expression)

Execute the following command:

```
trainee@debian8:~/training$ ls f!(123).txt
f123123123.txt f123123.txt f.txt
```



Important: Note that the command displays file names that match 0 or x occurrences of the string **123**, where $x > 1$.

Protecting Metacharacters

To cancel the wild card effect of a special character, the character needs to be escaped or “protected”:

Character	Description
\	Escapes the character which immediately follows
' '	Protects any character between the two ' '
" "	Protects any character between the two " " except the following: \$, \ and ' '

For example:

```
trainee@debian8:~/training$ echo * est un caractère spécial
a100 f f1 f123123123.txt f123123.txt f123.txt f2 f3 f4 f5 f52 f62 f.txt est un caractère spécial

trainee@debian8:~/training$ echo \* est un caractère spécial
* est un caractère spécial

trainee@debian8:~/training$ echo "* est un caractère spécial"
* est un caractère spécial
```

```
trainee@debian8:~/training$ echo '* est un caractère spécial'
* est un caractère spécial
```

Exit Status

Each command returns an **exit status** when it is executed. This exit status is stored in a special variable: **\$?**.

For example:

```
trainee@debian8:~/training$ cd ..
trainee@debian8:~$ mkdir codes
trainee@debian8:~$ echo $?
0
trainee@debian8:~$ touch codes/exit.txt
trainee@debian8:~$ rmdir codes
rmdir: failed to remove 'codes': Directory not empty
trainee@debian8:~$ echo $?
1
```

As you can see when the exit status is 0, the command has executed correctly. If the exit status is anything else, the command has executed with errors.

Redirections

Your dialogue with the system uses three **file descriptors**:

- Standard Input - the keyboard,
- Standard output - the screen,
- Standard error - contains any eventual errors.

The standard output can be redirected using the **>** character:

```
trainee@debian8:~$ pwd
/home/trainee
trainee@debian8:~$ cd training
trainee@debian8:~/training$ free > file
trainee@debian8:~/training$ cat file
```

	total	used	free	shared	buffers	cached
Mem:	506268	429624	76644	4804	59540	130524
-/+ buffers/cache:		239560	266708			
Swap:	2046972	0	2046972			



Important: If the file does not exist, it is automatically created.

Repeating a single redirection will replace the file:

```
trainee@debian8:~/training$ date > file
trainee@debian8:~/training$ cat file
Mon 28 Nov 14:48:03 GMT 2016
```

To add additional data to the file, you need to use a **double redirection**:

```
trainee@debian8:~/training$ free >> file
trainee@debian8:~/training$ cat file
Mon 28 Nov 14:48:03 GMT 2016
```

	total	used	free	shared	buffers	cached
Mem:	506268	431668	74600	4804	60264	130912
-/+ buffers/cache:		240492	265776			
Swap:	2046972	0	2046972			



Important : Note that standard output can only be redirected to a single destination.

File descriptors are numbered for ease of use :

- 0 = Standard Input
- 1 = Standard Output
- 2 = Standard Error

For example:

```
trainee@debian8:~/training$ cd ..
trainee@debian8:~$ rmdir training/ 2>errorlog
trainee@debian8:~$ cat errorlog
rmdir: failed to remove 'training/': Directory not empty
```



Important: As you can see the error generated is redirected to the **errorlog** file.

You can join file descriptors using the **&** character:

```
trainee@debian8:~$ free > file 2>&1
```

Any errors are sent to the same destination as the standard output, in the case, **file**.

It is also possible to have a reverse redirection:

```
trainee@debian8:~$ wc -w < errorlog
8
```

In this case **wc -w** counts the number of words in the file.

Other redirections exist :

Redirection	Definition
&>	Join file descriptors 1 and 2.
<<	Takes the text typed on the next lines as standard input until EOF is found at the beginning of a line.
<>	Allows the use of the same file as STDIN and STDOUT.

Pipes

A pipe is used to present the standard output on the first command to the standard input of the second command:

```
trainee@debian8:~$ ls | wc -w
17
```



Important - Several pipes can be used within the same command.

Standard output can generally only be redirected to a single destination. To redirect to two destinations at once, you need to use the **tee** command:

```
trainee@debian8:~$ date | tee file1
Mon 28 Nov 15:14:18 GMT 2016
trainee@debian8:~$ cat file1
Mon 28 Nov 15:14:18 GMT 2016
```

Alternatively, tee can be used to redirect to two files at the same time:

```
trainee@debian8:~$ date | tee file1 > file2
trainee@debian8:~$ cat file1
Mon 28 Nov 15:15:52 GMT 2016
trainee@debian8:~$ cat file2
Mon 28 Nov 15:15:52 GMT 2016
```



Important : The default action of the **tee** command is to overwrite the destination file. In order to append output to the same file, you need to use the **-a** switch.

Command Substitution

Command substitution permits in-line execution of a command:

```
trainee@debian8:~$ echo date
date
trainee@debian8:~$ echo $(date)
Mon 28 Nov 15:19:29 GMT 2016
trainee@debian8:~$ echo `date`
Mon 28 Nov 15:19:30 GMT 2016
```

Conditional Command Execution

Commands can be grouped using brackets:

```
$ (ls -l; ps; who) > list
```

Conditional command execution can be obtained by using the exit status value and either **&&** or **||**.

For example,

- Command1 && Command2,
 - Command2 will execute if the exit status of Command1 is 0,
- Command1 || Command2,
 - Command2 will execute if the exit status of Command1 anything other than 0.

Environment Variables

The contents of a shell variable can be displayed on standard output using the **echo** command:

```
$ echo $VARIABLE [Enter]
```

Principal Variables

Variable	Description
BASH	Complete path to current shell.
BASH_VERSION	Shell version.
EUID	EUID of the current user.
UID	UID of the current user.
PPID	PID of the parent of the current process.
PWD	The current directory.
OLDPWD	The previous current directory (like the cd -command).
RANDOM	A random number between 0 and 32767.
SECONDS	The numbers of seconds since the shell was started.
LINES	The number of lines in a screen.
COLUMNS	The number of columns in a screen .
HISTFILE	The history file.
HISTFILESIZE	The history file size.
HISTSIZE	The number of commands that can be saved to the history file.
HISTCMD	The current command's number in the History.
HISTCONTROL	ignorespace or ignoredups or ignoreboth
HOME	The user's home directory.
HOSTTYPE	Machine type.
OSTYPE	The OS type.
MAIL	The file containing the user's mail.
MAILCHECK	Frequency in seconds that a user's mail is checked.

Variable	Description
PATH	The paths to executables.
PROMPT_COMMAND	Command executed before each prompt is displayed.
PS1	User's default prompt.
PS2	User's 2nd level default prompt.
PS3	User's 3rd level prompt.
PS4	User's 4th level prompt.
SHELL	User's current shell.
SHLVL	The number of shell instances.
TMOU	The number of seconds less 60 before an unused terminal gets sent the exit command.

Internationalisation and Localisation

Internationalisation, also called **i18n** since there are 18 letters between the **I** and **n**, consists of modifying software so that it conforms to regional parameters:

- Text processing differences,
- Writing direction,
- Different systems of numerals,
- Telephone numbers, addresses and international postal codes,
- Weights and measures,
- Date/time format,
- Paper sizes,
- Keyboard layout,
- etc ...

Localisation, also called **L10n** since there are 10 letters between the **L** and **n**, consists of modifying the Internationalisation so that it conforms to a specific locale:

- en_GB = Great Britain,
 - en_US = USA,
 - en_AU = Australia,
 - en_NZ = New Zealand,
-

- en_ZA = South Africa,
- en_CA = Canada.

The most important variables are:

```
trainee@debian8:~$ echo $LC_ALL
en_GB.UTF-8
trainee@debian8:~$ echo $LC_CTYPE

trainee@debian8:~$ echo $LANG
en_GB.UTF-8

trainee@debian8:~$ locale
LANG=en_GB.UTF-8
LANGUAGE=en_GB:en
LC_CTYPE="en_GB.UTF-8"
LC_NUMERIC="en_GB.UTF-8"
LC_TIME="en_GB.UTF-8"
LC_COLLATE="en_GB.UTF-8"
LC_MONETARY="en_GB.UTF-8"
LC_MESSAGES="en_GB.UTF-8"
LC_PAPER="en_GB.UTF-8"
LC_NAME="en_GB.UTF-8"
LC_ADDRESS="en_GB.UTF-8"
LC_TELEPHONE="en_GB.UTF-8"
LC_MEASUREMENT="en_GB.UTF-8"
LC_IDENTIFICATION="en_GB.UTF-8"
LC_ALL=en_GB.UTF-8
```

Special Variables

Variable	Description
\$LINENO	Contains the current line number of the script or function being executed

Variable	Description
\$\$	Contains the PID of the current process
\$PPID	Contains the PID of the parent of the current process
\$0	Contains the name of the current script
\$1, \$2 ...	Contains respectively the 1st, 2nd etc arguments passed to the script
\$#	Contains the total number of arguments passed to the script
\$*	Contains all of the arguments passed to the script
\$@	Contains all of the arguments passed to the script

The env Commande

The **env** command can be used to run a program in a modified environment or just list the values of all environmental variables associated with the user calling the program env:

```
trainee@debian8:~$ env
XDG_SESSION_ID=1
TERM=xterm-256color
SHELL=/bin/bash
SSH_CLIENT=10.0.2.2 44524 22
OLDPWD=/home/trainee/training
SSH_TTY=/dev/pts/0
LC_ALL=en_GB.UTF-8
USER=trainee
LS_COLORS=rs=0:di=01;34:ln=01;36:mh=00:pi=40;33:so=01;35:do=01;35:bd=40;33;01:cd=40;33;01:or=40;31;01:su=37;41:sg
=30;43:ca=30;41:tw=30;42:ow=34;42:st=37;44:ex=01;32:*.tar=01;31:*.tgz=01;31:*.arc=01;31:*.arj=01;31:*.taz=01;31:*
.lha=01;31:*.lz4=01;31:*.lzh=01;31:*.lzma=01;31:*.tlz=01;31:*.txz=01;31:*.tzo=01;31:*.t7z=01;31:*.zip=01;31:*.z=0
1;31:*.Z=01;31:*.dz=01;31:*.gz=01;31:*.lrz=01;31:*.lz=01;31:*.lzo=01;31:*.xz=01;31:*.bz2=01;31:*.bz=01;31:*.tbz=0
1;31:*.tbz2=01;31:*.tz=01;31:*.deb=01;31:*.rpm=01;31:*.jar=01;31:*.war=01;31:*.ear=01;31:*.sar=01;31:*.rar=01;31:
*.alz=01;31:*.ace=01;31:*.zoo=01;31:*.cpio=01;31:*.7z=01;31:*.rz=01;31:*.cab=01;31:*.jpg=01;35:*.jpeg=01;35:*.gif
=01;35:*.bmp=01;35:*.pbm=01;35:*.pgm=01;35:*.ppm=01;35:*.tga=01;35:*.xbm=01;35:*.xpm=01;35:*.tif=01;35:*.tiff=01;
35:*.png=01;35:*.svg=01;35:*.svgz=01;35:*.mng=01;35:*.pcx=01;35:*.mov=01;35:*.mpg=01;35:*.mpeg=01;35:*.m2v=01;35:
*.mkv=01;35:*.webm=01;35:*.ogm=01;35:*.mp4=01;35:*.m4v=01;35:*.mp4v=01;35:*.vob=01;35:*.qt=01;35:*.nuv=01;35:*.wm
v=01;35:*.asf=01;35:*.rm=01;35:*.rmvb=01;35:*.flc=01;35:*.avi=01;35:*.fli=01;35:*.flv=01;35:*.gl=01;35:*.dl=01;35
```

```
:*.xcf=01;35:*.xwd=01;35:*.yuv=01;35:*.cgm=01;35:*.emf=01;35:*.axv=01;35:*.anx=01;35:*.ogv=01;35:*.ogx=01;35:*.aac=00;36:*.au=00;36:*.flac=00;36:*.m4a=00;36:*.mid=00;36:*.midi=00;36:*.mka=00;36:*.mp3=00;36:*.mpc=00;36:*.ogg=00;36:*.ra=00;36:*.wav=00;36:*.axa=00;36:*.oga=00;36:*.spx=00;36:*.xspf=00;36:
MAIL=/var/mail/trainee
PATH=/usr/local/bin:/usr/bin:/bin:/usr/local/games:/usr/games
PWD=/home/trainee
LANG=en_GB.UTF-8
SHLVL=1
HOME=/home/trainee
LANGUAGE=en_GB:en
LOGNAME=trainee
SSH_CONNECTION=10.0.2.2 44524 10.0.2.15 22
XDG_RUNTIME_DIR=/run/user/1000
_=/usr/bin/env
```

To run a program, such as **xterm** in a modified environment the command is:

```
$ env EDITOR=vim xterm
```

Bash Shell Options

To view all the options of the bash shell, use the command **set**:

```
trainee@debian8:~$ set -o
allexport      off
braceexpand   on
emacs         on
errexit       off
errtrace      off
functrace     off
hashall       on
histexpand    on
```

```
history      on
ignoreeof    off
interactive-comments  on
keyword      off
monitor      on
noclobber    off
noexec       off
noglob       off
nolog        off
notify       off
nounset      off
onecmd       off
physical     off
pipefail     off
posix        off
privileged   off
verbose      off
vi           off
xtrace       off
```

To turn on an option you need to specify which option as an argument to the previous command:

```
trainee@debian8:~$ set -o allexport
trainee@debian8:~$ set -o
allexport    on
braceexpand  on
...
```

To turn off an option, use set with the **+o** option:

```
trainee@debian8:~$ set +o allexport
trainee@debian8:~$ set -o
allexport    off
braceexpand  on
```

...

These are the most interesting options:

Option	Default value	Description
allexport	off	The shell automatically exports all variables
emacs	on	emacs editing mode
noclobber	off	Simple re-directions do not squash the target file if it exists
noglob	off	Turns off special characters
nounset	off	The shell will return an error if the variable is not set
verbose	off	Echos back the typed command
vi	off	vi editing mode

noclobber

```
trainee@debian8:~$ set -o noclobber
trainee@debian8:~$ pwd > file
-bash: file: cannot overwrite existing file
trainee@debian8:~$ pwd > file
-bash: file: cannot overwrite existing file
trainee@debian8:~$ pwd >| file
trainee@debian8:~$ set +o noclobber
```



Important : Note that the **noclobber** option can be overridden by using a pipe.

noglob

```
trainee@debian8:~$ set -o noglob
```

```
trainee@debian8:~$ echo *
*
trainee@debian8:~$ set +o noglob
trainee@debian8:~$ echo *
aac abc bca codes Desktop Documents Downloads errorlog file file1 Music Pictures Public Templates training Videos
vitext xyz
```



Important : Note that metacharacters are turned off when the **noglob** option is set.

nounset

```
trainee@debian8:~$ set -o nounset
trainee@debian8:~$ echo $FENESTROS
-bash: FENESTROS: unbound variable
trainee@debian8:~$ set +o nounset
trainee@debian8:~$ echo $FENESTROS

trainee@debian8:~$
```



Important : Note that the inexistant variable **\$FENESTROS** is identified as such when the **nounset** option is set.

Basic Shell Scripting

Execution

A script is a text file that is read by the system and its contents executed. There are five ways to execute a script:

By stipulating the shell that will execute the script:

/bin/bash myscript

by a reverse redirection:

/bin/bash < myscript

By calling the script by its name, provided that the script is executable and that it resides in a directory specified by your path :

myscript

By placing yourself in the directory where the script resides and using one of the two following possibilities :

. myscript et **./myscript**



Important: In the first case the script is executed in the parent shell. In the second case the script is executed in a child shell.

Comments in a script are lines starting with **#**. However, each script starts with a pseudo-comment that informs the system which shell should be used to execute the script:

```
#!/bin/sh
```

Since a script in its simplest form is a list of commands that are sequentially executed, it is often useful to test those commands prior to writing the script. Linux has a command that can help you debug a future script. The **script** command can be used to generate a log file, called **typescript**, that contains a record of everything occurred on standard output. To exit the recording mode, use **exit**:

```
trainee@debian8:~$ script
Script started, file is typescript
trainee@debian8:~$ pwd
/home/trainee
trainee@debian8:~$ ls
aac  bca    Desktop  Downloads  fichier1  file  Music    Public    training  Videos  xyz
abc  codes  Documents errorlog   fichier2  file1 Pictures Templates typescript vitext
trainee@debian8:~$ exit
exit
Script done, file is typescript
trainee@debian8:~$ cat typescript
Script started on Tue 29 Nov 2016 02:56:33 GMT
trainee@debian8:~$ pwd
/home/trainee
trainee@debian8:~$ ls
aac  bca    Desktop  Downloads  fichier1  file  Music    Public    training  Videos  xyz
abc  codes  Documents errorlog   fichier2  file1 Pictures Templates typescript vitext
trainee@debian8:~$ exit
exit
Script done on Tue 29 Nov 2016 02:56:44 GMT
```

Lets start by creating a simple script called **myscript**:

```
$ vi myscript [Enter]
```

Edit the file as follows:

```
pwd
ls
```



Important: Note that in the above example, the script does not start with a pseudo-



comment. As a result, the script will be executed by the shell of the user that invokes it unless a different shell is specified.

Save the file and use the five ways to execute it.

As an argument de /bin/bash:

```
trainee@debian8:~$ vi myscript
trainee@debian8:~$ /bin/bash myscript
/home/trainee
aac codes Downloads fichier2 myscript Public typescript xyz
abc Desktop errorlog file Music Templates Videos
bca Documents fichier1 file1 Pictures training vitext
```

Using a redirection:

```
trainee@debian8:~$ /bin/bash < myscript
/home/trainee
aac codes Downloads fichier2 myscript Public typescript xyz
abc Desktop errorlog file Music Templates Videos
bca Documents fichier1 file1 Pictures training vitext
```

In order to be able to call the script by its name from another directory, such as **/tmp**, you need to move the script into the **/home/traine/bin** directory and make it executable. Note that in this case, the value of the environmental variable `$PATH` should contain a reference to **/home/traine/bin**:

```
trainee@debian8:~$ echo $PATH
/usr/local/bin:/usr/bin:/bin:/usr/local/games:/usr/games
```

As you can see, in the case of Debian, this is not the case. The reason for this becomes apparent when viewing the contents of the **.profile** file in **/home/traine**:

```
trainee@debian8:~$ cat .profile
# ~/.profile: executed by the command interpreter for login shells.
...
# set PATH so it includes user's private bin if it exists
if [ -d "$HOME/bin" ] ; then
    PATH="$HOME/bin:$PATH"
fi
```

As you can see PATH is set so it includes the user's private bin only if the directory exists:

```
# set PATH so it includes user's private bin if it exists
if [ -d "$HOME/bin" ] ; then
    PATH="$HOME/bin:$PATH"
fi
```

To fix the value of the PATH variable, create the \$HOME/bin directory and re-load the .profile file:

```
trainee@debian8:~$ mkdir bin
trainee@debian8:~$ source .profile
trainee@debian8:~$ echo $PATH
/home/trainee/bin:/usr/local/bin:/usr/bin:/bin:/usr/local/games:/usr/games
```

Now you need to move the script to \$HOME/bin and make it executable:

```
trainee@debian8:~$ mv myscript ~/bin
trainee@debian8:~$ chmod u+x ~/bin/myscript
```

Move to **/tmp** and can call the script by just using it's name:

```
trainee@debian8:/tmp$ myscript
/tmp
hsperfdata_root pulse-PKdhtXMmr18n
```

Now move back to ~/bin and use the following two commands to execute myscript:

- ./myscript
- . myscript

```
trainee@debian8:/tmp$ cd ~/bin
trainee@debian8:~/bin$ ./myscript
/home/trainee/bin
myscript
trainee@debian8:~/bin$ . myscript
/home/trainee/bin
myscript
```



To do: Note the difference in the output of these two commands and explain that difference.

The read command

The read command reads the standard input and stores the information in the variables that are specified as arguments. The separator between fields is a space, a tabulation or a carriage return:

```
trainee@debian8:~/bin$ read var1 var2 var3 var4
fenestros edu is great!
trainee@debian8:~/bin$ echo $var1
fenestros
trainee@debian8:~/bin$ echo $var2
edu
trainee@debian8:~/bin$ echo $var3
is
trainee@debian8:~/bin$ echo $var4
```

```
great!
```



Important: Note that each field has been placed in a separate variable. Note also that by convention, user declared variables are in lower case in order to distinguish them from system variables.

```
trainee@debian8:~/bin$ read var1 var2
fenestros edu is great!
trainee@debian8:~/bin$ echo $var1
fenestros
trainee@debian8:~/bin$ echo $var2
edu is great!
```



Important: Note that in this case, \$var2 contains three fields.

Code de retour

The contents of a variable can also be empty:

```
trainee@debian8:~/bin$ read var
```

```
↵ Enter
```

```
trainee@debian8:~/bin$ echo $?
0
trainee@debian8:~/bin$ echo $var
```

```
trainee@debian8:~/bin$
```

But not null:

```
trainee@debian8:~/bin$ read var
```

`Ctrl+D`

```
trainee@debian8:~/bin$ echo $?  
1  
trainee@debian8:~/bin$ echo $var  
  
trainee@debian8:~/bin$
```

The IFS Variable

The IFS variable contains the default separator characters: `SpaceBar`, `Tab ↵` and `↵ Enter`:

```
trainee@debian8:~/bin$ echo "$IFS" | od -c  
0000000  \t  \n  \n  
0000004
```



Important: The **od** command (*Octal Dump*) returns the contents of a file in octal format. The **-c** switch prints to standard output any ASCII characters or backslashes contained within the file.

It is possible to change the contents of this variable:

```
trainee@debian8:~/bin$ OLDIFS="$IFS"
```

```
trainee@debian8:~/bin$ IFS=":"
trainee@debian8:~/bin$ echo "$IFS" | od -c
00000000  :  \n
00000002
```

Now test the new configuration:

```
trainee@debian8:~/bin$ read var1 var2 var3
fenestros:edu is:great!
trainee@debian8:~/bin$ echo $var1
fenestros
trainee@debian8:~/bin$ echo $var2
edu is
trainee@debian8:~/bin$ echo $var3
great!
```

Restore the old value of IFS before proceeding further: IFS="\$OLDIFS"

```
trainee@debian8:~/bin$ IFS="$OLDIFS"
trainee@debian8:~/bin$ echo "$IFS" | od -c
00000000  \t  \n  \n
00000004
```

The test Command

The **test** command uses two forms:

test *expression*

or

[SpaceBar*expression*SpaceBar]

Testing Files

Test	Description
-f file	Returns true if file is an ordinary file
-d file	Returns true if file is a directory
-r file	Returns true if user can read file
-w file	Returns true if user can write file
-x file	Returns true if user can execute file
-e file	Returns true if file exists
-s file	Returns true if file is not empty
file1 -nt file2	Returns true if file1 is newer than file2
file1 -ot file2	Returns true if file1 is older than file2
file1 -ef file2	Returns true if file1 is identical to file2

LAB #1

Test whether the **a100** file is an ordinary file:

```
trainee@debian8:~/bin$ cd ../training/  
trainee@debian8:~/training$ test -f a100  
trainee@debian8:~/training$ echo $?  
0  
trainee@debian8:~/training$ [ -f a100 ]  
trainee@debian8:~/training$ echo $?  
0
```



Important: The value contained in \$? is 0. This indicates **true**.

Test whether the **a101** file is an ordinary file:

```
trainee@debian8:~/training$ [ -f a101 ]
trainee@debian8:~/training$ echo $?
1
```



Important: The value contained in \$? is 1. This indicates **false**. This is obvious since a101 does not exist.

Test whether **/home/trainee/training** is a directory:

```
trainee@debian8:~/training$ [ -d /home/trainee/training ]
trainee@debian8:~/training$ echo $?
0
```



Important: The value contained in \$? is 0. This indicates **true**.

Testing Strings

Test	Description
-n string	Returns true if string is not zero in length
-z string	Returns true if string is zero in length
string1 = string2	Returns true if string1 is equal to string2
string1 != string2	Returns true if string1 is different to string2
string1	Returns true if string1 is not empty

LAB #2

Test whether two strings are identical:

```
trainee@debian8:~/training$ string1="root"  
trainee@debian8:~/training$ string2="fenestros"  
trainee@debian8:~/training$ [ $string1 = $string2 ]  
trainee@debian8:~/training$ echo $?  
1
```



Important: The value contained in \$? is 1. This indicates **false**.

Test if string1 is not zero in length:

```
trainee@debian8:~/training$ [ -n $string1 ]  
trainee@debian8:~/training$ echo $?  
0
```



Important: The value contained in \$? is 0. This indicates **true**.

Test if string1 is zero in length:

```
trainee@debian8:~/training$ [ -z $string1 ]  
trainee@debian8:~/training$ echo $?  
1
```



Important: The value contained in \$? is 1. This indicates **false**.

Testing Numbers

Test	Description
value1 -eq value2	Returns true if value1 is equal to value2
value1 -ne value2	Returns true if value1 is not equal to value2
value1 -lt value2	Returns true if value1 is less than value2
value1 -le value2	Returns true if value1 is less than or equal to value2
value1 -gt value2	Returns true if value1 is greater than value2
value1 -ge value2	Returns true if value1 is greater than or equal to value2

LAB #3

Compare the two numbers **value1** and **value2** :

```
trainee@debian8:~/training$ read value1
35
trainee@debian8:~/training$ read value2
23
trainee@debian8:~/training$ [ $value1 -lt $value2 ]
trainee@debian8:~/training$ echo $?
1
trainee@debian8:~/training$ [ $value2 -lt $value1 ]
trainee@debian8:~/training$ echo $?
0
trainee@debian8:~/training$ [ $value2 -eq $value1 ]
trainee@debian8:~/training$ echo $?
1
```

Expressions

Test	Description
!expression	Returns true if expression is false

Test	Description
expression1 -a expression2	Represents a logical OR between expression1 and expression2
expression1 -o expression2	Represents a logical AND between expression1 and expression2
\(expression\)	Parenthesis let you group together expressions

LAB #4

Test if \$file is not a directory:

```
trainee@debian8:~/training$ file=a100
trainee@debian8:~/training$ [ ! -d $file ]
trainee@debian8:~/training$ echo $?
0
```

Test if \$directory is a directory and if trainee can cd into it:

```
trainee@debian8:~/training$ directory=/usr
trainee@debian8:~/training$ [ -d $directory -a -x $directory ]
trainee@debian8:~/training$ echo $?
0
```

Test if trainee has the write permission for the a100 file **and** test if /usr is a directory **or** test if /tmp is a directory:

```
trainee@debian8:~/training$ [ -w a100 -a \( -d /usr -o -d /tmp \) ]
trainee@debian8:~/training$ echo $?
0
```

Testing the User Environment

Test	Description
-o option	Returns true if the shell option "option" is on

LAB #5

```
trainee@debian8:~/training$ [ -o allexport ]
trainee@debian8:~/training$ echo $?
1
```

The `[[expression]]` Command

The `[[SpaceBarexpressionSpaceBar]]` command is an improved **test** command with some minor changes to syntax:

Test	Description
<code>expression1 && expression2</code>	Represents a logical OR between <code>expression1</code> and <code>expression2</code>
<code>expression1 expression2</code>	Represents a logical AND between <code>expression1</code> and <code>expression2</code>
<code>(expression)</code>	Parenthesis let you group together expressions

and some additional operators :

Test	Description
<code>string = model</code>	Returns true if <code>string</code> corresponds to <code>model</code>
<code>string != model</code>	Returns true if <code>string</code> does not correspond to <code>model</code>
<code>string1 < string2</code>	Returns true if <code>string1</code> is lexicographically before <code>string2</code>
<code>string1 > string2</code>	Returns true if <code>string1</code> is lexicographically after <code>string2</code>

LAB #6

Test if `trainee` has the write permission for the `a100` file **and** test if `/usr` is a directory **or** test if `/tmp` is a directory:

```
trainee@debian8:~/training$ [[ -w a100 && ( -d /usr || -d /tmp ) ]]
trainee@debian8:~/training$ echo $?
0
```

Shell Operators

Operator	Description
Command1 && Command2	Command2 is executed if the exit code of Command1 is zero
Command1 Command2	Command2 is executed if the exit code of Command1 is not zero

LAB #7

```
trainee@debian8:~/training$ [[ -d /root ]] && echo "The root directory exists"
The root directory exists
trainee@debian8:~/training$ [[ -d /root ]] || echo "The root directory exists"
trainee@debian8:~/training$
```

The expr Command

The **expr** command's syntax is as follows :

```
expr SpaceBar number1 SpaceBar operator SpaceBar number2 SpaceBar
```

ou

```
expr Tab ↵ number1 Tab operator Tab ↵ number2 ↵ Enter
```

ou

```
expr SpaceBar string SpaceBar : SpaceBar regular_expression SpaceBar
```

or

```
expr Tab ↵ string Tab ↵ : Tab ↵ regular_expression ↵ Enter
```

Maths

Operator	Description
+	Addition
-	Subtraction
*	Multiplication
/	Division
%	Modulo
\(\)	Parentheses

Comparisons

Operator	Description
\<	Less than
\<=	Less than or equal to
\>	Greater than
\>=	Greater than or equal to
=	Equal to
!=	Not equal to

Logic

Operator	Description
\	Logical OR
\&	Logical AND

LAB #8

Add two to the value of \$x:

```
trainee@debian8:~/training$ x=2
trainee@debian8:~/training$ expr $x + 2
```

```
4
```

If the surrounding spaces are removed, the result is completely different:

```
trainee@debian8:~/training$ expr $x+2
2+2
```

Certain operators need to be protected:

```
trainee@debian8:~/training$ expr $x * 2
expr: syntax error
trainee@debian8:~/training$ expr $x \* 2
4
```

Now put the result of a calculation in a variable:

```
trainee@debian8:~/training$ resultat=`expr $x + 10`
trainee@debian8:~/training$ echo $resultat
12
```

The let Command

The let command is equivalent to ((expression)). The ((expression)) command provides the following additional features when compared with the **expr** command :

- greater number of operators,
- no need for spaces or tabulations between arguments,
- no need to prefix variables with the \$ character,
- the shell's special characters do not need to be escaped,
- variables are defined directly in the command,
- faster execution time.

Maths

Operator	Description
+	Addition
-	Subtraction
*	Multiplication
/	Division
%	Modulo
^	Power

Comparisons

Operator	Description
<	Less than
<=	Less than or equal to
>	Greater than
>=	Greater than or equal to
==	Equal
!=	Not Equal

Logic

Operator	Description
&&	Logical AND
	Logical OR
!	Logical negation

Binary

Opérateur	Description
~	Binary negation
>>	décalage binaire à droite
<<	décalage binaire à gauche

Opérateur	Description
&	Binary AND
	Binary OR
^	Exclusive binary OR

LAB #9

```
trainee@debian8:~/training$ x=2
trainee@debian8:~/training$ ((x=$x+10))
trainee@debian8:~/training$ echo $x
12
trainee@debian8:~/training$ ((x=$x+20))
trainee@debian8:~/training$ echo $x
32
```

Control Structures

If

The syntax is as follows:

```
if condition
then
    command(s)
else
    command(s)
fi
```

or:

```
if condition
```

```
then
    command(s)
    command(s)
fi
```

or finally:

```
if condition
then
    command(s)
elif condition
then
    command(s)
elif condition
then
    command(s)
else
    command(s)
fi
```

case

The syntax is as follows:

```
case $variable in
model1) function
    ...
;;
model2) function
    ...
;;
```

```
model3 | model4 | model5 ) function
    ...
;;
esac
```

Loops

for

The syntax is as follows:

```
for variable in variable_list
do
    command(s)
done
```

while

The syntax is as follows:

```
while condition
do
    command(s)
done
```

Example

```
U=1
while [ $U -lt $MAX_ACCOUNTS ]
```

```
do
useradd fenestros"$U" -c fenestros"$U" -d /home/fenestros"$U" -g staff -G audio,fuse -s /bin/bash 2>/dev/null
useradd fenestros"$U"$ -g machines -s /dev/false -d /dev/null 2>/dev/null
echo "Compte fenestros$U créé"
let U=U+1
done
```

Start-up Scripts

When Bash is called as a login shell it executes the start-up scripts in the following order:

- **/etc/profile**,
- **~/.bash_profile** or **~/.bash_login** or **~/.profile** dependant upon the distribution,

In the cas of Debian Bash executes **~/.profile**.

When a login shell is terminated, Bash executes the **~/.bash_logout** file if it exists.

Whan Bash is called as an interactive shell as opposed to a login shell, it executes only the **~/.bashrc** file.

LAB #10



To do : Using the knowledge you have acquired in this unit, explain each of the following scripts.

~/.profile

```
trainee@debian8:~/training$ cat ~/.profile
```

```
# ~/.profile: executed by the command interpreter for login shells.
# This file is not read by bash(1), if ~/.bash_profile or ~/.bash_login
# exists.
# see /usr/share/doc/bash/examples/startup-files for examples.
# the files are located in the bash-doc package.

# the default umask is set in /etc/profile; for setting the umask
# for ssh logins, install and configure the libpam-umask package.
#umask 022

# if running bash
if [ -n "$BASH_VERSION" ]; then
    # include .bashrc if it exists
    if [ -f "$HOME/.bashrc" ]; then
        . "$HOME/.bashrc"
    fi
fi

# set PATH so it includes user's private bin if it exists
if [ -d "$HOME/bin" ] ; then
    PATH="$HOME/bin:$PATH"
fi
```

~/.bashrc

```
trainee@debian8:~/training$ cat ~/.bashrc
# ~/.bashrc: executed by bash(1) for non-login shells.
# see /usr/share/doc/bash/examples/startup-files (in the package bash-doc)
# for examples

# If not running interactively, don't do anything
case $- in
    *i*) ;;
```

```
        *) return;;
esac

# don't put duplicate lines or lines starting with space in the history.
# See bash(1) for more options
HISTCONTROL=ignoreboth

# append to the history file, don't overwrite it
shopt -s histappend

# for setting history length see HISTSIZE and HISTFILESIZE in bash(1)
HISTSIZE=1000
HISTFILESIZE=2000

# check the window size after each command and, if necessary,
# update the values of LINES and COLUMNS.
shopt -s checkwinsize

# If set, the pattern "*" used in a pathname expansion context will
# match all files and zero or more directories and subdirectories.
#shopt -s globstar

# make less more friendly for non-text input files, see lesspipe(1)
#[ -x /usr/bin/lesspipe ] && eval "$(SHELL=/bin/sh lesspipe)"

# set variable identifying the chroot you work in (used in the prompt below)
if [ -z "${debian_chroot:-}" ] && [ -r /etc/debian_chroot ]; then
    debian_chroot=$(cat /etc/debian_chroot)
fi

# set a fancy prompt (non-color, unless we know we "want" color)
case "$TERM" in
    xterm-color) color_prompt=yes;;
esac
```

```
# uncomment for a colored prompt, if the terminal has the capability; turned
# off by default to not distract the user: the focus in a terminal window
# should be on the output of commands, not on the prompt
#force_color_prompt=yes

if [ -n "$force_color_prompt" ]; then
    if [ -x /usr/bin/tput ] && tput setaf 1 >&/dev/null; then
        # We have color support; assume it's compliant with Ecma-48
        # (ISO/IEC-6429). (Lack of such support is extremely rare, and such
        # a case would tend to support setf rather than setaf.)
        color_prompt=yes
    else
        color_prompt=
    fi
fi

if [ "$color_prompt" = yes ]; then
    PS1='${debian_chroot:+($debian_chroot)}\[\033[01;32m\]\u@\h\[\033[00m\]:\[\033[01;34m\]\w\[\033[00m\]\$ '
else
    PS1='${debian_chroot:+($debian_chroot)}\u@\h:\w\$ '
fi
unset color_prompt force_color_prompt

# If this is an xterm set the title to user@host:dir
case "$TERM" in
xterm*|rxvt*)
    PS1="\[\e]0;${debian_chroot:+($debian_chroot)}\u@\h: \w\a\]$PS1"
    ;;
*)
    ;;
esac

# enable color support of ls and also add handy aliases
if [ -x /usr/bin/dircolors ]; then
```

```
test -r ~/.dircolors && eval "$(dircolors -b ~/.dircolors)" || eval "$(dircolors -b)"
alias ls='ls --color=auto'
#alias dir='dir --color=auto'
#alias vdir='vdir --color=auto'

#alias grep='grep --color=auto'
#alias fgrep='fgrep --color=auto'
#alias egrep='egrep --color=auto'
fi

# colored GCC warnings and errors
#export GCC_COLORS='error=01;31:warning=01;35:note=01;36:caret=01;32:locus=01:quote=01'

# some more ls aliases
#alias ll='ls -l'
#alias la='ls -A'
#alias l='ls -CF'

# Alias definitions.
# You may want to put all your additions into a separate file like
# ~/.bash_aliases, instead of adding them here directly.
# See /usr/share/doc/bash-doc/examples in the bash-doc package.

if [ -f ~/.bash_aliases ]; then
    . ~/.bash_aliases
fi

# enable programmable completion features (you don't need to enable
# this, if it's already enabled in /etc/bash.bashrc and /etc/profile
# sources /etc/bash.bashrc).
if ! shopt -oq posix; then
    if [ -f /usr/share/bash-completion/bash_completion ]; then
        . /usr/share/bash-completion/bash_completion
    elif [ -f /etc/bash_completion ]; then
```

```
. /etc/bash_completion  
fi  
fi
```

<html>

Copyright © 2004-2019 Hugh Norris.

</html>
