

Version : **2025.01**

Last update: 2025/01/19 14:39

# DOE311 - Exam - Acquired knowledge

## The Infrastructure Used

VM	FQDN	IP	OS	Version	vCPUs	RAM (MB)	HDD (GB)	User	PW	root PW
Gateway_10.0.2.40	gateway.ittraining.loc	10.0.2.40	Debian	11.8	4	4096	32 / 4 / 64	trainee	trainee	fenestros
CentOS_10.0.2.45	centos8.ittraining.loc	10.0.2.45	CentOS	8.5.2111	4	4096	500 / 4 / 64 / 32	trainee	trainee	fenestros
Kubemaster_10.0.2.65	kubemaster.ittraining.loc	192.168.56.2	Debian	9.13	4	4096	20	trainee	trainee	fenestros
Kubenode01_10.0.2.66	kubenode01.ittraining.loc	192.168.56.3	Debian	9.13	4	4096	20	trainee	trainee	fenestros
Kubenode02_10.0.2.67	kubenode02.ittraining.loc	192.168.56.4	Debian	9.13	4	4096	20	trainee	trainee	fenestros

In your VirtualBox you **must** create a **private host network** called **vboxnet0** with address **192.168.56.1/24**.

Pre-configured **VirtualBox** VMs can be downloaded free of charge here:

- [Gateway\\_10.0.2.40](#),
- [CentOS\\_10.0.2.45](#),
- [Kubemaster\\_10.0.2.65](#),
- [Kubenode01\\_10.0.2.66](#),
- [Kubenode02\\_10.0.2.67](#).

## Reminder of the Training Content

- **DOE301 - Creating Kubernetes clusters**
    - Container Orchestration
    - Introduction to Kubernetes (k8s)
-

- Control Plane
  - Controller
  - Nodes (Minions)
  - LAB #1 - Creating a Kubernetes cluster with Virtual Machines
    - 1.1 - Overview
    - 1.2 - Connecting to the kubemaster
    - 1.3 - Testing the network
    - 1.4 - Initializing the Cluster Controller
    - 1.5 - Installing a Network Extension for communication between PODs
    - 1.6 - Connecting workers to the Controller
    - 1.7 - K8s and High Availability
  - LAB #2 - Creating a Kubernetes cluster with Minikube
    - 2.1 - Introducing Minikube
    - 2.2 - Installing Minikube
    - 2.3 - Configuring Minikube
    - 2.4 - Installing Docker
    - 2.5 - Installing kubectl
    - 2.6 - The minikube addons command
    - 2.7 - The minikube dashboard addon
  - **DOE302 - Managing Pods, Replication Controllers, ReplicaSets, Deployments, Maintenance and Cluster Updates**
    - LAB #1 - Creating a pod
      - 1.1 - Introducing a pod
      - 1.2 - Manual pod creation
      - 1.3 - Creating a pod using a YAML file
        - apiVersion
        - kind
        - metadata
        - spec
        - Using the YAML file
    - LAB #2 - Using Replication Controllers and ReplicaSets
      - 2.1 - Replication Controllers
        - Overview
        - Implementation
-

- 2.2 - ReplicaSets
    - Overview
    - Implementation
  - LAB #3 - Deployment management
    - 3.1 - Overview
    - 3.2 - Implementation
      - Rollouts
      - Rolling Updates
      - Rollbacks
  - LAB #4 - Maintenance
    - 4.1 - The drain command
    - 4.2 - The uncordon command
  - LAB #5 - Managing Cluster Updates
    - 5.1 - Updating kubeadm
    - 5.2 - Updating Workers
  - **DOE303 - The kubectl, krew and kustomize commands**
    - LAB #1 - Using the kubectl command
      - 1.1 - Getting help with kubectl commands
      - 1.2 - Obtaining information about the Cluster
        - The version command
        - The cluster-info command
        - The api-versions command
        - The api-resources command
      - 1.3 - Obtaining information about nodes
        - The describe node command
        - The top command
      - 1.4 - Obtaining information about Pods
        - The describe pod command
        - The top command
      - 1.5 - Working with the kubectl command
        - The apply command
        - The create command
        - The get command
-

- Using Options
- The exec command
- Imperative commands
- LAB #2 - Managing kubectl plugins with the krew command
  - 2.1 - Installing krew
  - 2.2 - Viewing the list of plugins
  - 2.3 - Installing and using plugins
  - 2.4 - Updating and deleting plugins
- LAB #3 - Managing patches with the kustomize command

- **DOE304 - Working with Pods and Containers**

- LAB #1 - Application Configuration
    - 1.1 - Overview
    - 1.2 - Creating a ConfigMap
    - 1.3 - Creating a Secret
    - 1.4 - Using ConfigMaps and Secrets
      - Using Environment variables
      - Using Configuration Volumes
  - LAB #2 - Container Resource Management
    - 2.1 - Overview
    - 2.2 - Resource Requests
    - 2.3 - Resource Limits
  - LAB #3 - Container supervision
    - 3.1 - Overview
    - 3.2 - Liveness Probes
      - The exec Probe
      - The httpGet Probe
    - 3.3 - Startup Probes
    - 3.4 - Readiness Probes
  - LAB #4 - Restart Policy Management
    - 4.1 - Overview
    - 4.2 - Always
    - 4.3 - OnFailure
    - 4.4 - Never
-

- LAB #5 - Creating Multi-container Pods
  - 5.1 - Overview
  - 5.2 - Implementation
- LAB #6 - Init containers
  - 6.1 - Overview
  - 6.2 - Implementation
- LAB #7 - Scheduling
  - 7.1 - Overview
  - 7.2 - Implementation
- LAB #8 - DaemonSets
  - 8.1 - Overview
  - 8.2 - Implementation
- LAB #9 - Static Pods
  - 9.1 - Overview
  - 9.2 - Implementation

- **DOE305 - Network, Service and Microservices Architecture Management**

- LAB #1 - Network and Service Management
  - 1.1 - Overview of Network Extensions
  - 1.2 - DNS K8s
    - Overview
    - Implementation
  - 1.3 - Network Policies
    - Overview
    - Implementation
  - 1.4 - Services
    - Overview
    - Implementation
      - The NodePort service
      - The ClusterIP service
  - 1.5 - Services and the K8s DNS
    - Overview
    - Implementation
  - 1.6 - K8s Ingress management

- Overview
  - Implementation
  - LAB #2 - Microservices Architecture Management
    - 2.1 - Overview
    - 2.2 - Creating Deployments
    - 2.3 - Creating Services
    - 2.4 - Deploying the Application
    - 2.5 - Scaling Up
  - **DOE306 - Managing Volumes with Kubernetes**
    - Overview
      - Volumes
      - Persistent Volumes
      - Volume Types
    - LAB #1 - Using K8s Volumes
      - 1.1 - Volumes and volumeMounts
      - 1.2 - Sharing volumes between containers
    - LAB #2 - Persistent Volumes
      - 2.1 - Storage Classes
      - 2.2 - Persistent Volumes
      - 2.3 - Persistent Volume Claims
      - 2.4 - Using a PersistentVolumeClaim in a pod
      - 2.5 - Resizing a PersistentVolumeClaim
  - **DOE307 - Troubleshooting K8s**
    - LAB #1 - The API Server
      - 1.1 - Connection Refused
      - 1.2 - System Pod Logs
    - LAB #2 - The Nodes
      - 2.1 - NotReady Status
    - LAB #3 - Pods
      - 3.1 - The ImagePullBackOff Error
      - 3.2 - The CrashLoopBackOff Error
    - LAB #4 - Containers
      - 4.1 - The exec Command
-

- LAB #5 - Networking
    - 5.1 - kube-proxy and DNS
    - 5.2 - The netshoot Container
  - **DOE308 - Introduction to Securing K8s**
    - LAB #1 - Role Based Access Control and TLS Certificates
      - 1.1 - Overview
      - 1.2 - The /etc/kubernetes/manifests/kube-apiserver.yaml File
      - 1.3 - Creating a serviceAccount
      - 1.4 - Creating a User
      - 1.5 - TLS Certificates
    - LAB #2 - Pod Security Implementation
      - 2.1 - Overview
      - 2.2 - Kubernetes Security Context
      - 2.3 - Kubernetes Network Policies
      - 2.4 - Kubernetes Resource Allocation Management
  - **DOE309 - Package Management for Kubernetes with Helm**
    - Overview
    - LAB #1 - Working with Helm
      - 1.1 - Installing Helm
      - 1.2 - The helm search hub Command
      - 1.3 - Searching the Artifact Hub
      - 1.4 - Adding and Deleting a Repository
      - 1.5 - The helm search repo Command
      - 1.6 - The helm show Command
      - 1.7 - Installing a Chart
      - 1.8 - The helm get Command
      - 1.9 - Using NOTES
      - 1.10 - The helm upgrade Command
      - 1.11 - The helm history Command
      - 1.12 - The helm rollback Command
      - 1.13 - The helm uninstall Command
    - LAB #2 - Monitoring Kubernetes with the EFK Stack
      - 2.1 - Overview
-

- 2.2 - Installing the elasticsearch Chart
- 2.3 - Installing fluentd-elasticsearch Chart
- 2.4 - Installing the kibana Chart
- 2.5 - Generating Logs in Kubernetes
- 2.6 - Visualizing Data with Kibana

- **DOE310 - StatefulSets, Advanced StorageClass Usage, Creating a Helm Chart and Monitoring**

- StatefulSets
    - Overview
    - LAB #1 - Setting up a simple StatefulSet
      - 1.1 - Service and StatefulSet creation
      - 1.2 - Scaling Up a StatefulSet
      - 1.3 - Scaling Down a StatefulSet
      - 1.4 - Deleting a StatefulSet
  - Advanced StorageClass Usage
    - LAB #2 - Dynamic NFS provisioning
      - 2.1 - NFS Server Configuration
      - 2.2 - NFS Client Configuration
      - 2.3 - Configuring K8s
      - 2.4 - Creating a PersistentVolumeClaim
      - 2.5 - Using the PersistentVolumeClaim with a Pod
      - 2.6 - Creating a Second PersistentVolumeClaim
      - 2.7 - Deleting the PersistentVolumeClaims
  - Creating a Helm Chart
    - Overview
    - LAB #3 - Creating a Simple Helm Package
      - 3.1 - The values.yaml File
      - 3.2 - Templates
      - 3.3 - Installation and Removal
  - Monitoring
    - Overview
    - LAB #4 - Implementing a Prometheus Solution
      - 4.1 - Stack Deployment with Helm
      - 4.2 - Viewing Data with Grafana
-

- 4.3 - Viewing Alerts with the Prometheus Web UI

- **DOE311 - Exam - Acquired knowledge**

- 60 questions from a pool of 104 questions

## **Training Evaluation and Acquired Knowledge Assessment**

To validate your training, please complete the Training Evaluation and Acquired Knowledge Assessment.

---

Copyright © 2025 Hugh Norris - Non-contractual document. Curriculum subject to change without notice.

---