

Version : **2024.01**

Last updated : 2024/05/16 12:16

# RH124 - Course Presentation

## Contents

## Training Program

- **LCE401 - File Hierarchy System**

- Linux File Hierarchy System
- File Types
- The mount Command
- The /etc/fstab file
  - Understanding the /etc/fstab file
    - Mount Options
- The umount Command
- Unix File Systems
  - Superblock
  - Inodes
  - Data Blocks
  - Hard (Physical) Links
  - Soft (Symbolic) Links

- **LCE402 - The Visual Editor**

- Presentation
  - LAB #1 - Creating, Opening and Closing files with VI
    - 1.1 - Commands
    - 1.2 - Creating a new file with VI
    - 1.3 - Opening a file in read-only mode using view
-

- 1.4 - Opening a file in read-write mode using VI
- LAB #2 - The set Command
  - 2.1 - Commands
  - 2.2 - Turning on line numbering using set
- LAB #3 - Moving around within the file
  - 3.1 - Commands
- LAB #4 - Inserting Text
  - 4.1 - Commands
  - 4.2 - Inserting text
- LAB #5 - Searching for Text
  - 5.1 - Commands
  - 5.2 - Searching for and replacing text
- LAB #6 - Deleting Text
  - 6.1 - Commands
  - 6.2 - Deleting lines
- LAB #7 - Copy, Cut and Paste
  - 7.1 - Commands
  - 7.2 - Copying, Cutting and pasting text
- LAB #8 - Configuring a Personalised Interface

- **LCE403 - Help and Documentation**

- Help on external commands
- Help on built-in commands
- The man command
  - Command Line Switches
- The apropos command
  - Command Line Switches
- The makewhatis and whatis Commands under RHEL/CentOS 6
  - Command Line Switches
- The mandb and whatis commands with RHEL/CentOS 8
  - Command Line Switches
- The info command
  - Command Line Switches

- **LCE404 - Basic Shell Commands and Text Manipulation Tools**

---

- LAB #1 - Use of Basic Shell Commands
    - 1.1 - The stty Command
    - 1.2 - The date command
    - 1.3 - The who Command
    - 1.4 - The df Command
    - 1.5 - The free Command
    - 1.6 - The whoami Command
    - 1.7 - The pwd Command
    - 1.8 - The cd Command
    - 1.9 - The ls Command
    - 1.10 - The lsof Command
    - 1.11 - The touch Command
    - 1.12 - The echo Command
    - 1.13 - The cp Command
    - 1.14 - The file Command
    - 1.15 - The cat Command
    - 1.16 - The mv Command
    - 1.17 - The mkdir Command
    - 1.18 - The rmdir Command
    - 1.19 - The rm Command
    - 1.20 - The sort Command
    - 1.21 - The more Command
    - 1.22 - The less Command
    - 1.23 - The find Command
    - 1.24 - The su Command
    - 1.25 - The updatedb and locate Commands
    - 1.26 - The whereis Command
    - 1.27 - The which Command
    - 1.28 - The uptime Command
    - 1.29 - The w Command
    - 1.30 - The uname Command
    - 1.31 - The du Command
    - 1.32 - The clear Command
    - 1.33 - The exit Command
-

- 1.34 - The logout Command
- 1.35 - The sleep Command
- 1.36 - The wall Command
- 1.37 - The seq Command
- 1.38 - The screen Command
- LAB #2 - Switches and Arguments
- LAB #3 - Regular Expressions
  - BREs
  - EREs
- Manipulating Text Files
  - Text-search Utilities
    - The grep Command
    - The egrep Command
    - The fgrep Command
    - LAB #4 - Using grep, egrep and fgrep
  - The Stream EDitor SED
    - LAB #5 - Using sed
  - The Text Processor AWK
    - Presentation
    - Field Separation
    - Conditions
      - A regular expression applied to a record
      - A regular expression applied to a field
      - Comparisons
      - Logical Operators
      - Built-in Variables
    - Awk Scripts
    - The printf function
    - Control Statements
      - if
      - for
      - while
      - do-while
    - LAB #3 - Using awk

- LAB 7 - Other Useful Commands
  - 7.1 - The expand Command
  - 7.2 - The unexpand Command
  - 7.3 - The cut Command
  - 7.4 - The uniq Command
  - 7.5 - The tr Command
  - 7.6 - The paste Command
  - 7.7 - The split Command
  - 7.8 - The diff Command
  - 7.9 - The cmp Command
  - 7.10 - The patch Command
  - 7.11 - The strings Command
  - 7.12 - The comm Command
  - 7.13 - The head Command
  - 7.14 - The tail Command
- LAB #8 - Use the grep, tr and cut commands to extract your IPv4 address from the output of ifconfig
- LAB #9 - Use the grep, awk and sed commands to extract your IPv4 address from the output of ip

- **LCE405 -Command Line Interface**

- Contents
  - The Shell
  - /bin/bash
    - Internal And External Commands
    - Aliases
    - The Prompt
    - The history Command
    - The TAB key
    - Metacharacters
    - Protecting Metacharacters
    - Exit Status
    - Redirections
    - Pipes
    - Command Substitution
    - Conditional Command Execution
-

- Environment Variables
  - Principal Variables
  - Internationalisation and Localisation
  - Special Variables
  - The env Command
- Bash Shell Options
  - noclobber
  - noglob
  - nounset
- Basic Shell Scripting
  - Execution
  - The read command
  - The test Command
  - The [[ expression ]] Command
  - Shell Operators
  - The expr Command
  - The let Command
  - Control Structures
  - Loops
  - Start-up Scripts
  - LAB #1 - Start-up Scripts

- **LCE501 - Managing Users and Groups**

- Presentation
  - /etc/nsswitch.conf
  - The getent Command
  - The /etc/group and /etc/gshadow files
  - The /etc/passwd and /etc/shadow files
- Commands
  - Groups
    - groupadd
    - groupdel
    - groupmod
    - newgrp

- gpasswd
  - Users
    - useradd
    - userdel
    - usermod
    - passwd
    - chage
  - Configuration
  - LAB #1 - Managing Users and Groups
  - LAB #2 - su and su -
  - sudo
  - **LCE502 - Package Management**
    - LAB #1 - Compiling Software
      - 1.1 - ./configure
      - 1.2 - make
      - 1.3 - make check
      - 1.4 - make install
    - LAB #2 - The rpm Command
      - 2.1 - Configuration
      - 2.2 - Usage
    - LAB #3 - The dnf Command
      - 3.1 - Presentation
      - 3.2 - Configuration
      - 3.3 - Repositories
      - 3.4 - Searching for Packages
      - 3.5 - Viewing Information on and Downloading a Package
      - 3.6 - Installing a Package
      - 3.7 - Updating Packages
      - 3.8 - Deleting Packages
    - Shared Libraries
      - Presentation
        - Introduction
        - Shared Object Locations
-

- ld-linux.so.2
- The ldd Command
- The /etc/ld.so.conf File
- The ldconfig Command

- **LCE503 - Managing File Permissions**

- Presentation
- Preparation
- LAB #1 - Basic Unix File Permissions
  - 1.1 - Changing Permissions with chmod
    - Symbolic Mode
    - Octal Mode
    - The umask Command
  - 1.2 - Changing the Owner or the Group with chown and chgrp
    - The chown Command
    - The chgrp Command
- LAB #2 - Advanced Unix Permissions
  - 2.1 - SUID/SGID bit
  - 2.2 - Inheritance Flag
  - 2.3 - Sticky bit
- LAB #3 - Extending Linux Permissions using ACLs and Attributes
  - 3.1 - ACLs
  - 3.2 - Attributes

- **LCE505 - Process Scheduling**

- cron
  - The /etc/crontab file
  - Time Fields
  - User Crontabs
- anacron
- at

- **LCE507 - Process Management**

- Presentation
  - Process Types
-

- Process Commands
  - The ps Command
  - The pgrep Command
  - The pstree Command
  - The top Command
  - The fg, bg and jobs Commands
  - The wait Command
  - The nice Command
  - The renice Command
  - The nohup Command
  - The kill Command
  - The pkill Command

- **LCE508 - Managing Logs**

- Presentation
  - The dmesg Command
  - Security Logging
    - The last Command
    - The lastlog Command
    - The lastb Command
    - The /var/log/secure File
  - The /var/log/audit/audit.log File
    - Managing Audit Events
      - auditd
      - auditctl
    - Viewing Audit Events
      - The aureport Command
      - The ausearch Command
  - The /var/log/messages File
  - Applications
  - rsyslog
    - Priorities
    - Facilities
    - The /etc/rsyslog.conf File
-

- Modules
- Global Directives
- Rules
  - Facility.Priority
  - Facility!Priority
  - Facility=Priority
  - Using the \* Wildcard
  - n Facilities with Identical Priorities
  - n Selectors with Identical Actions
- The logger Command
- The logrotate Command
- journald
  - Using Journald
    - Application Specific Messages
    - Boot Messages
    - Priority Specific Messages
    - Messages from a Specific Date Range
    - Real Time Messages
    - Searching with Key Words
- **LCE510 - System Startup and Shutdown**
  - System Startup
    - Boot Loader
      - BIOS Systems
      - EFI Systems
      - GRUB 2
        - The /boot/grub/grub.cfg File
        - The /etc/default/grub file
        - Files in the /etc/grub.d directory
    - Initramfs
      - The init Script
    - Kernel Booting Process
  - Systemd
    - LAB #1 - The systemctl Command

- LAB #2 - Configuration Files
    - 2.1 - Default Configuration Files
    - 2.1 - Overloading Default Configuration Files
  - LAB #3 - The systemd-analyze Command
  - LAB #4 - Targets
    - 4.1 - Checking the Target Dependencies
    - 4.2 - The Default Target
      - Checking the Default Target
      - Changing the Default Target
      - Changing the Default Target for the Current Session
  - LAB #5 - Managing Services
    - 5.1 - Single Service Instances
    - 5.2 - Multiple Instance Services
    - 5.3 - Disallowing Modifications to a Service Status
  - LAB #6 - System Shutdown
    - 6.1 - The shutdown Command
    - 6.2 - The reboot Command
    - 6.3 - The halt Command
    - 6.4 - The poweroff Command
  - **LCE603 - Managing the Network**
    - Presentation
      - The nmcli Command
    - LAB #1 - Configuring the Network
      - 1.1 - Connections and Profiles
      - 1.2 - Name Resolution
      - 1.3 - Adding a Second IP Address to a Profile
      - 1.4 - The hostname Command
      - 1.5 - The ip Command
      - 1.6 - Manually Activating and Deactivating a Device
      - 1.7 - Static Routing
        - The ip Command
        - Disactivating/Activating Internal Routing on a Server
    - LAB #2 - Diagnostics
-

- 2.1 - The ping Command
  - 2.2 - The netstat Command
  - 2.3 - The traceroute Command
  - LAB #3 - SSH
    - 3.1 - Presentation
      - SSH-1
      - SSH-2
    - 3.2 - Configuring the Server
    - 3.3 - Configuring the Client
    - 3.4 - SCP
      - Presentation
      - Usage
    - 3.5 - Authentication with Asymmetric Keys
- 

Copyright © 2024 Hugh Norris - Non-contractual document. The Training Program may be modified without notice.

---