

Version : **2023.01**

Last updated : 2023/05/10 16:21

# LCE404 - Basic Shell Commands and Text Manipulation Tools

## Contents

- **LCE404 - Basic Shell Commands and Text Manipulation Tools**

- Contents
- LAB #1 - Use of Basic Shell Commands
  - 1.1 - The stty Command
  - 1.2 - The date command
  - 1.3 - The who Command
  - 1.4 - The df Command
  - 1.5 - The free Command
  - 1.6 - The whoami Command
  - 1.7 - The pwd Command
  - 1.8 - The cd Command
  - 1.9 - The ls Command
  - 1.10 - The lsof Command
  - 1.11 - The touch Command
  - 1.12 - The echo Command
  - 1.13 - The cp Command
  - 1.14 - The file Command
  - 1.15 - The cat Command
  - 1.16 - The mv Command
  - 1.17 - The mkdir Command
  - 1.18 - The rmdir Command
  - 1.19 - The rm Command
  - 1.20 - The sort Command

- 1.21 - The more Command
- 1.22 - The less Command
- 1.23 - The find Command
- 1.24 - The su Command
- 1.25 - The updatedb and locate Commands
- 1.26 - The whereis Command
- 1.27 - The which Command
- 1.28 - The uptime Command
- 1.29 - The w Command
- 1.30 - The uname Command
- 1.31 - The du Command
- 1.32 - The clear Command
- 1.33 - The exit Command
- 1.34 - The logout Command
- 1.35 - The sleep Command
- 1.36 - The wall Command
- 1.37 - The seq Command
- 1.38 - The screen Command
- LAB #2 - Switches and Arguments
- LAB #3 - Regular Expressions
  - BREs
  - EREs
- Manipulating Text Files
  - Text-search Utilities
    - The grep Command
    - The egrep Command
    - The fgrep Command
    - LAB #4 - Using grep, egrep and fgrep
  - The Stream EDitor SED
    - LAB #5 - Using sed
  - The Text Processor AWK
    - Presentation
    - Field Separation
    - Conditions

- A regular expression applied to a record
- A regular expression applied to a field
- Comparisons
- Logical Operators
- Built-in Variables
- Awk Scripts
- The printf function
- Control Statements
  - if
  - for
  - while
  - do-while
- LAB #3 - Using awk
- LAB 7 - Other Useful Commands
  - 7.1 - The expand Command
  - 7.2 - La Commande unexpand
  - 7.3 - The cut command
  - 7.4 - The uniq Command
  - 7.5 - The tr Command
  - 7.6 - The paste Command
  - 7.7 - The split Command
  - 7.8 - The diff Command
  - 7.9 - The cmp Command
  - 7.10 - The patch Command
  - 7.11 - The strings Command
  - 7.12 - The comm Command
  - 7.13 - The head Command
  - 7.14 - The tail Command
- LAB #8 - Use the grep, tr and cut commands to extract your IPv4 address from the output of ifconfig
- LAB #9 - Use the grep, awk and sed commands to extract your IPv4 address from the output of ip

# LAB #1 - Use of Basic Shell Commands

**To do** - You are currently the root user in your terminal. Before proceeding further, type **exit** and hit the Enter key.

## 1.1 - The stty Command

Using this command with the **-a** switch allows you to identify which combination of keys should be used to control a foreground process:

```
[trainee@centos8 ~]$ stty -a
speed 38400 baud; rows 24; columns 80; line = 0;
intr = ^C; quit = ^\; erase = ^?; kill = ^U; eof = ^D; eol = <undef>;
eol2 = <undef>; swtch = <undef>; start = ^Q; stop = ^S; susp = ^Z; rprnt = ^R;
werase = ^W; lnext = ^V; discard = ^O; min = 1; time = 0;
-parenb -parodd -cmspar cs8 -hupcl -cstopb cread -clocal -crtscs
-ignbrk -brkint -ignpar -parmrk -inpck -istrip -inlcr -igncr icrnl ixon -ixoff
-iuclc -ixany -imaxbel iutf8
opost -olcuc -ocrnl onlcr -onocr -onlret -ofill -ofdel nl0 cr0 tab0 bs0 vt0 ff0
isig icanon iexten echo echoe echok -echonl -noflsh -xcase -tostop -echoprt
echoctl echoke -flusho -extproc
```

**Important** - The two most important combinations are **intr = ^C** and **susp = ^Z**. The former kills the process whilst the latter suspends its execution.

## Command Line Switches

**To do :** Use the **-help** option of the **stty** command to view the command line switches.

### 1.2 - The date command

This command's output gives the current system date and time. The command can also be used to set the system date:

```
[trainee@centos8 ~]$ date  
Tue 20 Apr 02:27:55 EDT 2021
```

## Command Line Switches

**To do :** Use the **-help** option of the **date** command to view the command line switches.

### 1.3 - The who Command

This command's output shows who is currently connected to the system:

```
<code>  
[trainee@centos8 ~]$ who  
trainee pts/0 2021-04-20 02:21 (10.0.2.2)
```

## Command Line Switches

**To do :** Use the **-help** option of the **who** command to view the command line switches.

### 1.4 - The df Command

This command's output shows the free space on each mounted block device:

```
[trainee@centos8 ~]$ df
Filesystem      1K-blocks    Used Available Use% Mounted on
devtmpfs        1897604      0   1897604   0% /dev
tmpfs           1913700      0   1913700   0% /dev/shm
tmpfs           1913700    8736   1904964   1% /run
tmpfs           1913700      0   1913700   0% /sys/fs/cgroup
/dev/sda3       15349760  2419808  12929952  16% /
/dev/sda1        289285  198275    71554  74% /boot
tmpfs           382740      0   382740   0% /run/user/1000
```

The units are shown as **blocks**. In order to **humanize** the output, it is possible to use the **-h** switch (also known as a **parameter, option or flag**):

```
[trainee@centos8 ~]$ df -h
Filesystem     Size   Used Avail Use% Mounted on
devtmpfs       1.9G    0  1.9G   0% /dev
tmpfs          1.9G    0  1.9G   0% /dev/shm
tmpfs          1.9G  8.6M  1.9G   1% /run
tmpfs          1.9G    0  1.9G   0% /sys/fs/cgroup
/dev/sda3       15G   2.4G  13G  16% /
/dev/sda1      283M  194M   70M  74% /boot
tmpfs          374M    0  374M   0% /run/user/1000
```

## Command Line Switches

**To do :** Use the **-help** option of the **df** command to view the command line switches.

### 1.5 - The free Command

This command's output shows the memory usage:

```
[trainee@centos8 ~]$ free
```

total	used	free	shared	buff/cache	available
-------	------	------	--------	------------	-----------

```
Mem: 3827400 290372 2594252 8736 942776 3281880 Swap: 2047996 0 2047996 </code>
```

The units are shown as **blocks**. In order to **humanize** the output, it is possible to use the **-h** switch:

```
<code>
[trainee@centos8 ~]$ free -h
              total        used        free      shared  buff/cache   available
Mem:       3.6Gi      283Mi     2.5Gi      8.0Mi      920Mi      3.1Gi
Swap:      2.0Gi          0B      2.0Gi
```

## Command Line Switches

**To do :** Use the **-help** option of the **free** command to view the command line switches.

## 1.6 - The whoami Command

This command's output indicates the user name associated with the current effective user ID:

```
[trainee@centos8 ~]$ whoami  
trainee
```

Now become the system administrator **root**:

```
[trainee@centos8 ~]$ su -  
Password: fenestros
```

**Important** : Note that the password will not be visible.

Now use the **whoami** command again:

```
[root@centos8 ~]# whoami  
root
```

**Important** : Note the current effective user ID is root.

Finally execute the **exit** command to return as **trainee**:

```
[root@centos8 ~]# exit  
logout  
[trainee@centos8 ~]$
```

## Command Line Switches

**To do :** Use the **-help** option of the **whoami** command to view the command line switches.

## 1.7 - The pwd Command

This command's output shows the current working directory:

```
[trainee@centos8 ~]$ pwd  
/home/trainee
```

## Command Line Switches

**To do :** Use the **help** command with **pwd** option to view the command line switches.

## 1.8 - The cd Command

This command's output changes the current working directory to that specified by the **argument**:

```
[trainee@centos8 ~]$ cd /tmp  
[trainee@centos8 tmp]$ pwd  
/tmp  
[trainee@centos8 tmp]$
```

## Command Line Switches

**To do :** Use the **help** command with **cd** option to view the command line switches.

## 1.9 - The ls Command

This command's output lists information about the files in directory specified as an argument. If no argument is specified, the output lists the files in the current working directory:

```
[trainee@centos8 tmp]$ ls  
systemd-private-d9ff2376a8a44f0392f860d80c839be4-chronyd.service-6im4Ii
```

## Command Line Switches

**To do :** Use the **-help** option of the **ls** command to view the command line switches.

## 1.10 - The lsof Command

This command's output shows information about open files:

```
[trainee@centos8 tmp]$ su -  
Password: fenestros  
[root@centos8 ~]# lsof | more  
COMMAND      PID      TID TASKCMD          USER      FD      TYPE      DEVICE  
SIZE/OFF     NODE NAME
```

systemd	1		root	cwd	DIR	8,3
224	128	/				
systemd	1		root	rtd	DIR	8,3
224	128	/				
systemd	1		root	txt	REG	8,3
1609248	8811152	/usr/lib/systemd/systemd				
systemd	1		root	mem	REG	8,3
2191808	126296	/usr/lib64/libm-2.28.so				
systemd	1		root	mem	REG	8,3
628744	126019	/usr/lib64/libudev.so.1.6.11				
systemd	1		root	mem	REG	8,3
969832	151279	/usr/lib64/libsepol.so.1				
systemd	1		root	mem	REG	8,3
1805368	179753	/usr/lib64/libunistring.so.2.1.0				
systemd	1		root	mem	REG	8,3
303944	131440	/usr/lib64/libpcap.so.1.9.1				
systemd	1		root	mem	REG	8,3
145984	163438	/usr/lib64/libgpg-error.so.0.24.2				
systemd	1		root	mem	REG	8,3
71528	194381	/usr/lib64/libjson-c.so.4.0.0				
systemd	1		root	mem	REG	8,3
--More--						

## Command Line Switches

**To do :** Use the **-help** option of the **lsof** command to view the command line switches.

## 1.11 - The touch Command

This command updates the access and modification times of one or several file(s) to the current time. If the file does not exist, the system creates an empty file:

```
[root@centos8 ~]# exit  
logout  
[trainee@centos8 tmp]$ touch test  
[trainee@centos8 tmp]$ ls  
systemd-private-d9ff2376a8a44f0392f860d80c839be4-chronyd.service-6im4Ii  test
```

## Command Line Switches

**To do :** Use the **-help** option of the **touch** command to view the command line switches.

## 1.12 - The echo Command

This command writes the arguments to the standard output (i.e. the screen):

```
[trainee@centos8 tmp]$ echo fenestros  
fenestros
```

## Command Line Switches

**To do :** Use the **help** command with **echo** option to view the command line switches.

## 1.13 - The cp Command

This command is used to copy a source to a destination or multiple sources to a directory:

```
[trainee@centos8 tmp]$ cp test ~  
[trainee@centos8 tmp]$ ls -l ~  
total 0  
-rw-rw-r--. 1 trainee trainee 0 Apr 20 03:36 test
```

Note the use of the ~ (tilde) character which is a shortcut to the current user's home directory. In the case of this example : **/home/trainee**.

### Command Line Switches

**To do :** Use the **-help** option of the **cp** command to view the command line switches.

## 1.14 - The file Command

This command determines a file type:

```
[trainee@centos8 tmp]$ file ~/test  
/home/trainee/test: empty
```

**Important** - Note that in the case of the first line of the above output, the command **file** is

incapable of informing you of the type of file since **test** is empty.

Using the **>** key, redirect the output of **echo fenestros** into the **/home/trainee/test** file as follows:

```
[trainee@centos8 tmp]$ echo "fenestros" > ~/test
```

Now use the **file** command once again to determine the file type:

```
[trainee@centos8 tmp]$ file ~/test  
/home/trainee/test: ASCII text
```

## Command Line Switches

**To do :** Use the **-help** option of the **file** command to view the command line switches.

## 1.15 - The cat Command

This command concatenates files, or standard input, to standard output. In the case of only one file as an argument, the effective result is to print the file contents to the screen:

```
[trainee@centos8 tmp]$ cat ~/test  
fenestros
```

## Command Line Switches

**To do :** Use the **-help** option of the **cat** command to view the command line switches.

## 1.16 - The mv Command

This command renames a source to a destination or moves sources to a directory:

```
[trainee@centos8 tmp]$ mv ~/test .
[trainee@centos8 tmp]$ ls -l ~
total 0
[trainee@centos8 tmp]$ mv test TeSt
[trainee@centos8 tmp]$ ls -l
total 4
drwx----- 3 root      root      17 Apr 19 12:05 systemd-private-d9ff2376a8a44f0392f860d80c839be4-
chronyd.service-6im4Ii
-rw-rw-r-- 1 trainee   trainee  10 Apr 20 03:38 TeSt
```

**Important** - Note the use of the shortcut **.** which indicates the current working directory.

## Command Line Switches

**To do :** Use the **-help** option of the **mv** command to view the command line switches.

## 1.17 - The mkdir Command

This command creates the directory(ies) if it (they) does (do) not exist:

```
[trainee@centos8 tmp]$ cd ~  
[trainee@centos8 ~]$ mkdir testdir  
[trainee@centos8 ~]$ ls  
testdir
```

### Command Line Switches

**To do :** Use the **-help** option of the **mkdir** command to view the command line switches.

## 1.18 - The rmdir Command

This command removes the directory(ies) if it (they) is (are) **empty**:

```
[trainee@centos8 ~]$ rmdir testdir  
[trainee@centos8 ~]$ ls  
[trainee@centos8 ~]$
```

### Command Line Switches

**To do :** Use the **-help** option of the **rmdir** command to view the command line switches.

## 1.19 - The rm Command

This command removes a directory, empty or not, as well as files:

```
[trainee@centos8 ~]$ mkdir testdir1
[trainee@centos8 ~]$ cd /tmp
[trainee@centos8 tmp]$ echo "fenestros" > TeSt
[trainee@centos8 tmp]$ cd ~
[trainee@centos8 ~]$ mv /tmp/TeSt ~/testdir1
[trainee@centos8 ~]$ ls -lR testdir1/
testdir1:
total 4
-rw-rw-r--. 1 trainee trainee 10 Apr 20 03:44 TeSt
[trainee@centos8 ~]$ rmdir testdir1/
rmdir: failed to remove 'testdir1/': Directory not empty
[trainee@centos8 ~]$ rm -rf testdir1/
[trainee@centos8 ~]$ ls
[trainee@centos8 ~]$
```

### Command Line Switches

**To do :** Use the **-help** option of the **rm** command to view the command line switches.

## 1.20 - The sort Command

This command writes a sorted concatenation of all files to standard output:

```
[trainee@centos8 ~]$ touch aac abc bca xyz
```

```
[trainee@centos8 ~]$ ls  
aac abc bca xyz  
[trainee@centos8 ~]$ ls | sort  
aac  
abc  
bca  
xyz  
[trainee@centos8 ~]$ ls | sort -r  
xyz  
bca  
abc  
aac
```

**Important** - Note the use of the | character, called a **pipe**. A pipe is used to channel the standard output of the command that precedes it into the standard input of the command that follows it.

## Command Line Switches

**To do :** Use the **-help** option of the **sort** command to view the command line switches.

## 1.21 - The more Command

This command is used to display a long file page by page:

```
[trainee@centos8 ~]$ more /etc/services
```

```
# /etc/services:  
# $Id: services,v 1.49 2017/08/18 12:43:23 ovasik Exp $  
#  
# Network services, Internet style  
# IANA services version: last updated 2016-07-08  
#  
# Note that it is presently the policy of IANA to assign a single well-known  
# port number for both TCP and UDP; hence, most entries here have two entries  
# even if the protocol doesn't support UDP operations.  
# Updated from RFC 1700, ``Assigned Numbers'' (October 1994). Not all ports  
# are included, only the more common ones.  
#  
# The latest IANA port assignments can be gotten from  
#      http://www.iana.org/assignments/port-numbers  
# The Well Known Ports are those from 0 through 1023.  
# The Registered Ports are those from 1024 through 49151  
# The Dynamic and/or Private Ports are those from 49152 through 65535  
#  
# Each line describes one service, and is of the form:  
#  
# service-name  port/protocol  [aliases ...]  [# comment]  
  
tcpmux          1/tcp           # TCP port service multiplexer  
--More-- (0%)
```

**Important** - The `< Enter` key scrolls down line by line, the `Space Bar` key scrolls down page by page and the `Q` key comes back to the command line prompt.

## Command Line Switches

**To do :** Use the **-help** option of the **more** command to view the command line switches.

## 1.22 - The less Command

The **less** command produces a similar result to that of the **more** command. Practice using the less command and refer to the help using **less -help**. Which command seems the most powerful and versatile ?

```
[trainee@centos8 ~]$ less /etc/services
# /etc/services:
# $Id: services,v 1.49 2017/08/18 12:43:23 ovasik Exp $
#
# Network services, Internet style
# IANA services version: last updated 2016-07-08
#
# Note that it is presently the policy of IANA to assign a single well-known
# port number for both TCP and UDP; hence, most entries here have two entries
# even if the protocol doesn't support UDP operations.
# Updated from RFC 1700, ``Assigned Numbers'' (October 1994). Not all ports
# are included, only the more common ones.
#
# The latest IANA port assignments can be gotten from
#      http://www.iana.org/assignments/port-numbers
# The Well Known Ports are those from 0 through 1023.
# The Registered Ports are those from 1024 through 49151
# The Dynamic and/or Private Ports are those from 49152 through 65535
#
# Each line describes one service, and is of the form:
#
# service-name  port/protocol  [aliases ...]  [# comment]
```

```
tcpmux      1/tcp          # TCP port service multiplexer  
/etc/services
```

## Command Line Switches

**To do :** Use the **-help** option of the **less** command to view the command line switches.

## 1.23 - The find Command

This command is used to search for a specific file or directory. The default path is the **current directory** and default expression is **-print**:

```
[trainee@centos8 ~]$ find acc  
find: 'acc': No such file or directory  
[trainee@centos8 ~]$ find aac  
aac
```

**Important :** Note that when the file cannot be found, the find command informs you clearly. However when the file is found, the find command just prints the name of the file to standard output.

## Command Line Switches

**To do :** Use the **-help** option of the **find** command to view the command line switches.

## 1.24 - The su Command

This command is used to change the effective user id and group id to that of the user passed as an argument. When executed with no argument, the system assumes the destination user is **root**:

```
[trainee@centos8 ~]$ su -
Password: fenestros
[root@centos8 ~]#
```

**Important** : Note that the password will not be visible.

### Command Line Switches

**To do** : Use the **-help** option of the **su** command to view the command line switches.

## 1.25 - The updatedb and locate Commands

The **locate** command is used to list files in databases that match a pattern supplied as an argument to the command. The **locate** command uses a database. This database needs to be created using the **updatedb** command before using the **locate** command.

The default database is **/var/lib/mlocate/mlocate.db**:

```
[root@centos8 ~]# ls -l /var/lib/mlocate/mlocate.db
-rw-r-----. 1 root slocate 1652822 Apr 20 03:52 /var/lib/mlocate/mlocate.db
```

**Important :** For information concerning the database format, please see **man 5 locatedb**.

The **updatedb** command is configured by editing the **/etc/updatedb.conf** file:

```
[root@centos8 ~]# cat /etc/updatedb.conf
PRUNE_BIND_MOUNTS = "yes"
PRUNEFS = "9p afs anon_inodefs auto autofs bdev binfmt_misc cgroup cifs configfs cpuset debugfs devpts
ecryptfs exofs fuse fuse.sshfs fusectl gfs gfs2 gpfs hugetlbfs inotifyfs iso9660 jffs2 lustre mqueue ncpfs nfs
nfs4 nfsd pipefs proc ramfs rootfs rpc_pipefs securityfs selinuxfs sfs sockfs sysfs tmpfs ubifs udf usbfs ceph
fuse.ceph"
PRUNENAMES = ".git .hg .svn .bzr .arch-ids {arch} CVS"
PRUNEPATHS = "/afs /media /mnt /net /sfs /tmp /udev /var/cache/ccache /var/lib/yum/yumdb /var/lib/dnf/yumdb
/var/spool/cups /var/spool/squid /var/tmp /var/lib/ceph"
```

Use of these two commands is very simple:

```
[root@centos8 ~]# updatedb
[root@centos8 ~]# locate aac
/home/trainee/aac
/usr/lib/.build-id/10/3879896070484de2e0eaac453ec43579fbb8e2
/usr/lib/.build-id/22/e20bcaaca5ed745d4f5f319ce3cc15e0db8d56
/usr/lib/.build-id/32/ec211a3c0121b5439deba3d4d1fb4e9bf97aac
/usr/lib/.build-id/45/bdf33b3fef84664d179d00e997daac1648973b
/usr/lib/.build-id/4c/5a4eaaca9035bbc2fbf200bd71eda505b568f2
/usr/lib/.build-id/55/2e764cb2c3aaacaeec1027b10ce22fb78a5896
/usr/lib/.build-id/55/769aac2caf22de496d9a08e5438d600ff92d6f
/usr/lib/.build-id/55/e2c36fd33cb232e58642c962aac3eeac1168be
/usr/lib/.build-id/65/33988a76dd4aac6840cc9d04ae13ac39869b13
/usr/lib/.build-id/79/dc2cf8dc9bd9617d5e897faac79f7458856f19
/usr/lib/.build-id/7e/ec6d530511aac280c13786861e4ec2c04321d9
```

```
/usr/lib/.build-id/8a/f8d384f0b01b7bd13a3aac719f738051e20351
/usr/lib/.build-id/8f/0de63d065be5aac7c552cce9412c25e0fa1e3a
/usr/lib/.build-id/93/8ee8bf115b7e98e9b83a68d8a679cd4a7b0aac
/usr/lib/.build-id/9a/635a7bcba89b0280c2198ea30d02faaacaac48
/usr/lib/.build-id/ac/8c79a966aacb69715f0fb388949dfc48ae88c8
/usr/lib/.build-id/b0/14a927cc892e6c5a8faaca7396a5a1c544f599
/usr/lib/.build-id/b2/cee7e58576f3167aacb613906c9790c5bcd266
/usr/lib/.build-id/ea/6926b2fcdbc231b6aa7511c568de704aac79b6
/usr/lib/.build-id/f1/b2efd3d36aecac279b4a77d00657356b2585f
/usr/lib/.build-id/fc/7d382132889a539aac9cd499f1a2b56855bd95
/usr/lib/modules/4.18.0-147.8.1.el8_1.x86_64/kernel/drivers/scsi/aacraid
/usr/lib/modules/4.18.0-147.8.1.el8_1.x86_64/kernel/drivers/scsi/aacraid/aacraid.ko.xz
/usr/lib/modules/4.18.0-240.22.1.el8_3.x86_64/kernel/drivers/scsi/aacraid
/usr/lib/modules/4.18.0-240.22.1.el8_3.x86_64/kernel/drivers/scsi/aacraid/aacraid.ko.xz
/usr/share/mime/audio/aac.xml
```

## Command Line Switches

**To do :** Use the **-help** option of the **updatedb** and **locate** commands to view their command line switches.

## 1.26 - The whereis Command

This command is used to show the full paths of the executable, the configuration files and the manuals associated with the argument:

```
[root@centos8 ~]# whereis passwd
passwd: /usr/bin/passwd /etc/passwd /usr/share/man/man1/passwd.1.gz /usr/share/man/man5/passwd.5.gz
```

## Command Line Switches

**To do :** Use the **-help** option of the **whereis** command to view the command line switches.

### 1.27 - The which Command

This command searches the PATH variable and returns to standard output the first full path associated with the argument:

```
[root@centos8 ~]# which passwd  
/usr/bin/passwd
```

## Command Line Switches

**To do :** Use the **-help** option of the **which** command to view the command line switches.

### 1.28 - The uptime Command

This command prints to standard output the current time, the length of time the system has been up, the number of users on the system and the average number of jobs in the run queue over the last 1, 5 and 15 minutes:

```
[root@centos8 ~]# uptime  
03:55:13 up 15:50, 1 user, load average: 0.01, 0.00, 0.00
```

## Command Line Switches

The switches associated with this command are:

**To do :** Use the **-help** option of the **uptime** command to view the command line switches.

## 1.29 - The w Command

This command outputs the same data as the **uptime** command on the first line and then complements this information with the details of each user connected to the system, including what each user is currently doing. This is the replacement under Linux for the Unix command **whodo**:

```
[root@centos8 ~]# w
03:55:16 up 15:50, 1 user,  load average: 0.01, 0.00, 0.00
USER      TTY      FROM          LOGIN@    IDLE      JCPU      PCPU WHAT
trainee    pts/0    10.0.2.2        02:21     4.00s   0.16s   0.01s sshd: trainee [priv]
```

The JCPU time is the time used by all processes attached to the tty. It does not include past background jobs, but does include currently running background jobs.

The PCPU time is the time used by the current process, named in the **what** field.

## Command Line Switches

**To do :** Use the **-help** option of the **w** command to view the command line switches.

## 1.30 - The uname Command

This command prints system information to the standard output:

```
[root@centos8 ~]# uname -a
Linux centos8.ittraining.loc 4.18.0-240.22.1.el8_3.x86_64 #1 SMP Thu Apr 8 19:01:30 UTC 2021 x86_64 x86_64 x86_64
GNU/Linux
[root@centos8 ~]# uname -s
Linux
[root@centos8 ~]# uname -n
centos8.ittraining.loc
[root@centos8 ~]# uname -r
4.18.0-240.22.1.el8_3.x86_64
[root@centos8 ~]# uname -v
#1 SMP Thu Apr 8 19:01:30 UTC 2021
[root@centos8 ~]# uname -m
x86_64
[root@centos8 ~]# uname -p
x86_64
[root@centos8 ~]# uname -i
x86_64
[root@centos8 ~]# uname -o
GNU/Linux
```

### Command Line Switches

**To do :** Use the **-help** option of the **uname** command to view the command line switches.

## 1.31 - The du Command

This command summarizes disk usage of each file, recursively for directories:

```
[root@centos8 ~]# du -sh /* 2>/dev/null
0    /bin
192M   /boot
0    /dev
23M   /etc
16K   /home
0    /lib
0    /lib64
0    /media
0    /mnt
0    /opt
0    /proc
32K   /root
8.6M   /run
0    /sbin
0    /srv
0    /sys
0    /tmp
1.9G   /usr
211M   /var
```

**Important :** Note the use of the **2>/dev/null** redirection. This sends all eventual errors in the **file descriptor** 2 directly to **/dev/null** so that they do not appear in the output. File descriptors are covered in the **The Command Line Interface** unit.

## Command Line Switches

**To do :** Use the **-help** option of the **du** command to view the command line switches.

### 1.32 - The clear Command

This command is used to clear the current screen of the terminal:

```
[root@centos8 ~]# clear  
[root@centos8 ~]#
```

### 1.33 - The exit Command

This command exits the current shell:

```
[root@centos8 ~]# exit  
logout  
[trainee@centos8 ~]$
```

## Command Line Switches

**To do :** Use the **help** command with **exit** option to view the command line switches.

## 1.34 - The logout Command

This command logs out a user from a login shell writing the utmp and wtmp entries in the log files.

### Command Line Switches

**To do :** Use the **help** command with **logout** option to view the command line switches.

## 1.35 - The sleep Command

This command pauses for a number seconds. The number is specified as the first argument.

```
[trainee@centos8 ~]$ sleep 10
```

### Command Line Switches

**To do :** Use the **-help** option of the **sleep** command to view the command line switches.

## 1.36 - The wall Command

Wall sends a message to everybody logged in with their mesg(1) permission set to yes. The message can be given as an argument to wall, or it can be sent to wall's standard input. When using the standard input from a terminal, the message should be terminated with the EOF key (usually Control-D). The length of the message is limited to 20 lines. For every invocation of wall a notification will be written to syslog, with facility LOG\_USER and level

## LOG\_INFO.

Start a second session as trainee via ssh on your VM. Return to your first session as root and type :

```
[trainee@centos8 ~]$ su -
Password:
[root@centos8 ~]# wall this is a message from root
Broadcast message from trainee@centos8.ittraining.loc (pts/0) (Tue Apr 20 04:11
this is a message from root
[root@centos8 ~]#
```

In the second session you should see the following message :

```
Activate the web console with: systemctl enable --now cockpit.socket

Last login: Tue Apr 20 02:21:15 2021 from 10.0.2.2
Broadcast message from trainee@centos8.ittraining.loc (pts/0) (Tue Apr 20 04:11
this is a message from root
[Enter]
[trainee@centos8 ~]$
```

La commande wall ignore la variable d'environnement TZ. L'heure affichée dans la première page est basée sur les paramètres de régionalisation du système :

```
[root@centos8 ~]# date
Tue Apr 20 04:23:19 EDT 2021
```

## 1.37 - The seq Command

The **seq** command prints numbers from FIRST to LAST, in steps of INCREMENT:

- seq [OPTION]... LAST
- seq [OPTION]... FIRST LAST

- seq [OPTION]... FIRST INCREMENT LAST

For example :

```
[root@centos8 ~]# seq 10
1
2
3
4
5
6
7
8
9
10
[root@centos8 ~]# seq 20 30
20
21
22
23
24
25
26
27
28
29
30
[root@centos8 ~]# seq 20 10 90
20
30
40
50
60
70
```

```
80  
90  
[root@centos8 ~]#
```

## Command Line Switches

**To do :** Use the **-help** option of the **seq** command to view the command line switches.

### 1.38 - The screen Command

Screen is a full-screen window manager that multiplexes a physical terminal between several processes (typically interactive shells). Each virtual terminal provides the functions of a DEC VT100 terminal and, in addition, several control functions from the ISO 6429 (ECMA 48, ANSI X3.64) and ISO 2022 standards (e.g. insert/delete line and support for multiple character sets). There is a scrollback history buffer for each virtual terminal and a copy-and-paste mechanism that allows moving text regions between windows.

The screen command is not installed by default under RHEL/CentOS 7:

```
[root@centos8 ~]# which screen  
/usr/bin/which: no screen in (/usr/local/sbin:/usr/local/bin:/sbin:/bin:/usr/sbin:/usr/bin:/root/bin)  
  
[root@centos8 ~]# dnf makecache  
CentOS Linux 8 - AppStream  
7.9 kB/s | 4.3 kB 00:00  
CentOS Linux 8 - BaseOS  
31 kB/s | 3.9 kB 00:00  
CentOS Linux 8 - Extras  
17 kB/s | 1.5 kB 00:00  
Metadata cache created.
```

```
[root@centos8 ~]# dnf install screen -y
Last metadata expiration check: 0:00:04 ago on Tue 20 Apr 2021 04:33:50 AM EDT.
No match for argument: screen
Error: Unable to find a match: screen
```

```
[root@centos8 ~]# dnf install epel-release -y
```

```
...
1/1
Installed:
  epel-release-8-8.el8.noarch
```

Complete!

```
[root@centos8 ~]# dnf install screen -y
Extra Packages for Enterprise Linux Modular 8 - x86_64
522 kB/s | 559 kB 00:01
Extra Packages for Enterprise Linux 8 - x86_64
2.5 MB/s | 9.4 MB 00:03
Last metadata expiration check: 0:00:01 ago on Tue 20 Apr 2021 04:36:11 AM EDT.
Dependencies resolved.
```

```
=====
=====
=====
Package          Architecture
Version          Repository
Size
=====
=====
=====
=====
Installing:
  screen           x86_64
  4.6.2-10.el8      epel
  582 k
```

**Transaction Summary****Install 1 Package**

Total download size: 582 k

Installed size: 971 k

Downloading Packages:

screen-4.6.2-10.el8.x86\_64.rpm

283 kB/s | 582 kB 00:02

**Total**

229 kB/s | 582 kB 00:02

warning: /var/cache/dnf/epel-6519ee669354a484/packages/screen-4.6.2-10.el8.x86\_64.rpm: Header V3 RSA/SHA256  
Signature, key ID 2f86d6a1: NOKEY

Extra Packages for Enterprise Linux 8 - x86\_64

1.6 MB/s | 1.6 kB 00:00

Importing GPG key 0x2F86D6A1:

Userid : "Fedora EPEL (8) &lt;epel@fedoraproject.org&gt;"

Fingerprint: 94E2 79EB 8D8F 25B2 1810 ADF1 21EA 45AB 2F86 D6A1

From : /etc/pki/rpm-gpg/RPM-GPG-KEY-EPEL-8

Key imported successfully

Running transaction check

Transaction check succeeded.

Running transaction test

Transaction test succeeded.

Running transaction

Preparing :

1/1

Running scriptlet: screen-4.6.2-10.el8.x86\_64

1/1

```
Installing      : screen-4.6.2-10.el8.x86_64
1/1
Running scriptlet: screen-4.6.2-10.el8.x86_64
1/1
Verifying      : screen-4.6.2-10.el8.x86_64
1/1
```

Installed:  
screen-4.6.2-10.el8.x86\_64

Complete!

```
[root@centos8 ~]# which screen
/usr/bin/screen
```

Create a session with screen:

```
[root@centos8 ~]# screen -S mysession
```

**Important** - When using RHEL/CentOS 8, you will notice that the title of the window holding the ssh session changes to **[screen 0: root@centos8:~]**.

Now press the **CTRL** and **A** keys, release the **A** key and press the **C** key in order to create a second **nested** screen.

**Important** - When using RHEL/CentOS 8, you will notice that the title of the window holding the ssh session changes to **[screen 1: root@centos8:~]**.

To return to the first screen, use the **CTRL A A** keys. This allows you to toggle between the last two screens used.

To see the status of all active screens, use the **screen -ls** command:

```
[root@centos8 ~]# screen -ls
There is a screen on:
    12149.mysession (Attached)
1 Socket in /run/screen/S-root.
```

Now enter the following commands:

```
[root@centos8 ~]# sleep 9999 &
[1] 12187
[root@centos8 ~]# jobs -l
[1]+ 12187 Running                  sleep 9999 &
[root@centos8 ~]#
```

In order to detach the current screen press the **CTRL** and **A** keys, release the **A** key and press the **D** key:

```
<code>
[root@centos8 ~]# screen -S mysession
[detached from 12149.mysession]
[root@centos8 ~]#
```

To re-attach the screen, execute the following command:

```
[root@centos8 ~]# screen -r
```

Using the jobs command, check if the process created by the sleep command is still running:

```
[root@centos8 ~]# jobs -l
[1]+ 12187 Running                  sleep 9999 &
```

To move forward or backwards between screens press the **CTRL** and **A** keys, release the **A** key and press the **N** key or press the **CTRL** and **A** keys, release the **A** key and press the **P** key.

Once again detach the current screen by pressing the **CTRL A** keys, releasing the **A** key and then pressing **D**:

```
[root@centos8 ~]# screen -S mysession
[detached from 12149.mysession]
[root@centos8 ~]#
```

Now create a new, non-nested screen:

```
[root@centos8 ~]# screen -S mysession1
```

Use the **screen -ls** command to see what has happened:

```
[root@centos8 ~]# screen -ls
There are screens on:
    12191.mysession1          (Attached)
    12149.mysession           (Detached)
2 Sockets in /run/screen/S-root.
```

To re-attach a specific screen, reference it by it's number:

```
[root@centos8 ~]# screen -r 12149

[root@centos8 ~]# screen -ls
There is a screen on:
    12149.mysession (Attached)
1 Socket in /run/screen/S-root.
[root@centos8 ~]# sleep 9999 &
[1] 12187
[root@centos8 ~]# jobs -l
[1]+ 12187 Running                  sleep 9999 &
[root@centos8 ~]# jobs -l
[1]+ 12187 Running                  sleep 9999 &
[root@centos8 ~]#
[root@centos8 ~]# screen -ls
```

There are screens on:

```
12191.mysession1      (Attached)
12149.mysession      (Attached)
```

2 Sockets in /run/screen/S-root.

Once again detach the current screen by pressing the **CTRL A** keys, releasing the **A** key and then pressing **D**:

```
[root@centos8 ~]# which screen
/usr/bin/screen
[root@centos8 ~]# screen -S mysession
[detached from 12149.mysession]
[root@centos8 ~]# screen -r
[detached from 12149.mysession]
[root@centos8 ~]# screen -S mysession1
[detached from 12191.mysession1]
[root@centos8 ~]#
```

Now check which screen you are connected to:

```
[root@centos8 ~]# screen -ls
There are screens on:
  12191.mysession1      (Detached)
  12149.mysession      (Attached)
2 Sockets in /run/screen/S-root.
```

Finally, kill the two sessions:

```
[root@centos8 ~]# screen -XS 12191 quit
[root@centos8 ~]# screen -XS 12149 quit
[root@centos8 ~]# screen -ls
No Sockets found in /run/screen/S-root.
```

## Command Line Switches

**To do :** Use the **-help** option of the **screen** command to view the command line switches.

## LAB #2 - Switches and Arguments

Switches under Linux can either be short or long. Several differences are important to note.

Firstly short options are generally preceded by a single dash -, whilst long options are preceded by a double dash - -.

An example is the help option used with most commands:

- -h
- -help

Secondly, Linux short switches can be combined whereas long switches cannot be combined. For example **ls -l -a -i** can also be written as **ls -lai**, **ls -lia** or **ls -ali**:

```
[root@centos8 ~]# ls -lai /tmp
total 0
16800396 drwxrwxrwt.  8 root root 172 Apr 20 04:36 .
      128 dr-xr-xr-x. 17 root root 224 Apr 19 11:50 ..
25447488 drwxrwxrwt.  2 root root   6 Apr 19 11:37 .font-unix
 8388741 drwxrwxrwt.  2 root root   6 Apr 19 11:37 .ICE-unix
      143 drwx-----  3 root root 17 Apr 19 12:05 systemd-private-d9ff2376a8a44f0392f860d80c839be4-
chronyd.service-6im4Ii
   621976 drwxrwxrwt.  2 root root   6 Apr 19 11:37 .Test-unix
   621954 drwxrwxrwt.  2 root root   6 Apr 19 11:37 .X11-unix
17319048 drwxrwxrwt.  2 root root   6 Apr 19 11:37 .XIM-unix
[root@centos8 ~]# ls -ali /tmp
```

```
total 0
16800396 drwxrwxrwt. 8 root root 172 Apr 20 04:36 .
    128 dr-xr-xr-x. 17 root root 224 Apr 19 11:50 ..
25447488 drwxrwxrwt. 2 root root 6 Apr 19 11:37 .font-unix
8388741 drwxrwxrwt. 2 root root 6 Apr 19 11:37 .ICE-unix
    143 drwx----- 3 root root 17 Apr 19 12:05 systemd-private-d9ff2376a8a44f0392f860d80c839be4-
chronynd.service-6im4Ii
    621976 drwxrwxrwt. 2 root root 6 Apr 19 11:37 .Test-unix
    621954 drwxrwxrwt. 2 root root 6 Apr 19 11:37 .X11-unix
17319048 drwxrwxrwt. 2 root root 6 Apr 19 11:37 .XIM-unix
[root@centos8 ~]# ls -ial /tmp
total 0
16800396 drwxrwxrwt. 8 root root 172 Apr 20 04:36 .
    128 dr-xr-xr-x. 17 root root 224 Apr 19 11:50 ..
25447488 drwxrwxrwt. 2 root root 6 Apr 19 11:37 .font-unix
8388741 drwxrwxrwt. 2 root root 6 Apr 19 11:37 .ICE-unix
    143 drwx----- 3 root root 17 Apr 19 12:05 systemd-private-d9ff2376a8a44f0392f860d80c839be4-
chronynd.service-6im4Ii
    621976 drwxrwxrwt. 2 root root 6 Apr 19 11:37 .Test-unix
    621954 drwxrwxrwt. 2 root root 6 Apr 19 11:37 .X11-unix
17319048 drwxrwxrwt. 2 root root 6 Apr 19 11:37 .XIM-unix
```

However **ls -l -all -inode** cannot be written **ls -l -allinode**:

```
[root@centos8 ~]# ls -l --all --inode /tmp
total 0
16800396 drwxrwxrwt. 8 root root 172 Apr 20 04:36 .
    128 dr-xr-xr-x. 17 root root 224 Apr 19 11:50 ..
25447488 drwxrwxrwt. 2 root root 6 Apr 19 11:37 .font-unix
8388741 drwxrwxrwt. 2 root root 6 Apr 19 11:37 .ICE-unix
    143 drwx----- 3 root root 17 Apr 19 12:05 systemd-private-d9ff2376a8a44f0392f860d80c839be4-
chronynd.service-6im4Ii
    621976 drwxrwxrwt. 2 root root 6 Apr 19 11:37 .Test-unix
    621954 drwxrwxrwt. 2 root root 6 Apr 19 11:37 .X11-unix
```

```
17319048 drwxrwxrwt. 2 root root 6 Apr 19 11:37 .XIM-unix
[root@centos8 ~]# ls -l --allinode /tmp
ls: unrecognized option '--allinode'
Try 'ls --help' for more information.
```

**Important** - You should **not** combine any short options that take an argument.

## LAB #3 - Regular Expressions

Text files play a very important role under Linux. For example, almost all configuration files are simple text files and being able to manipulate them is of great importance. Manipulating text files is essentially achieved by using **Regular Expressions**. There are two types of Regular Expressions:

- The IEEE POSIX Basic Regular Expressions (**BRE**) understood by the commands **vi**, **grep**, **expr** and **sed**,
- The IEEE POSIX Extended Regular Expressions (**ERE**) understood by the commands **egrep** ( grep -E ) and **awk**.

Regular Expressions use **Metacharacters**. Certain are common to both BREs and EREs:

Metacharacter	Description
<code>^string</code>	Match lines beginning with <i>string</i>
<code>string\$</code>	Match lines ending with <i>string</i>
<code>\Metacharacter</code>	Cancel any special effect associated with <i>Metacharacter</i>
<code>[string]</code>	Match any of the characters within <i>string</i>
<code>[^string]</code>	Exclude any of the characters in <i>string</i>
<code>.</code>	Match any character except when at the end of a line
<code>character*</code>	Match 0 or more occurrences of <i>character</i>
<code>\&lt;</code>	Match <i>string</i> at the beginning of a word
<code>\&gt;</code>	Match <i>string</i> at the end of a word

## BREs

Certain Metacharacters are specific to BREs:

Metacharacter	Description
\{x,y\}	Match from <b>x</b> to <b>y</b> occurrences of the preceding element
\{x\}	Match exactly <b>x</b> occurrences of the preceding element
\{x,\}	Match <b>x</b> or more occurrences of the preceding element
\(BRE)	Commit to memory the BRE
\1	Recall the first BRE committed to memory
\2, \3 ...	Recall the second BRE committed to memory, recall the third BRE committed to memory ...

## EREs

Certain Metacharacters are specific to EREs:

Metacharacter	Description
{x,y}	Match from <b>x</b> to <b>y</b> occurrences of the preceding element
{x}	Match exactly <b>x</b> occurrences of the preceding element
{x,}	
?	Matches 0 or 1 occurrence of the preceding element
+	Matches 1 or more occurrence(s) of the preceding element
	Matches either the expression before or the expression after the operator
()	Combines the Regular Expressions between the parentheses

# Manipulating Text Files

## Text-search Utilities

## The grep Command

The **grep** command can be used to find lines containing a string of characters in a group of files. The **-v** or **-invert-case** option can be stipulated to find lines that do **not** contain the specified string.

The grep command is case sensitive. The **-i** or **-ignore-case** option can be specified in order to use grep in a non case sensitive search.

The grep command can also use **BREs**.

### Command Line Switches

**To do :** Use the **-help** option of the **grep** command to view the command line switches.

## The egrep Command

The **egrep** command is identical to the **grep** command when used with the **-E** switch. Both can use EREs.

### Command Line Switches

**To do :** Use the **-help** option of the **egrep** command to view the command line switches.

## The fgrep Command

The **fgrep** command is identical to the **grep** command when used with the **-F** switch. Both have no knowledge of Regular Expressions.

**To do :** Use the **-help** option of the **fgrep** command to view the command line switches.

## LAB #4 - Using grep, egrep and fgrep

Create the following file:

```
[root@centos8 ~]# cd /tmp
[root@centos8 tmp]# vi greptest
[root@centos8 tmp]# cat greptest
fenestrOS
fenestros
555-5555
f
.fenestros
.fe
£
```

Now use grep to search for lines containing at least one uppercase or lowercase letter:

```
[root@centos8 ~]# grep '[a-zA-Z]' /tmp/greptest
fenestrOS
fenestros
f
.fenestros
.fe
```

Next use grep to search for lines containing at least one uppercase or lowercase letter or a number:

```
[root@centos8 ~]# grep '[a-zA-Z0-9]' /tmp/greptest
```

```
fenestrOS  
fenestros  
555-5555  
f  
.fenestros  
.fe
```

To search for the NNN-NNNN pattern where N is a number, use the following command:

```
[root@centos8 ~]# grep '[0-9]\{3\}-[0-9]\{4\}' /tmp/greptest  
555-5555
```

Lines containing just one character have that character both at the beginning (^) and at the end (\$) of the line:

```
[root@centos8 ~]# grep '^.$' /tmp/greptest  
f  
£
```

To search for a line containing a special character such as ., that character needs to be preceded by \:

```
[root@centos8 ~]# grep '^.$' /tmp/greptest  
f  
£
```

**Important** - The grep command can also be used to search for a string in all the files within a specific directory as follows **grep -rnw 'directory' -e "pattern"**. You can also search only within certain files by specifying the files extensions: **grep -include={\*.doc,\*.xls} -rnw 'directory' -e "pattern"**. Finally you can exclude certain file extensions as follows: **grep -exclude=\*.doc -rnw 'directory' -e "pattern"**.

Make the following changes to the greptest file:

```
[root@centos8 tmp]# vi greptest
[root@centos8 tmp]# cat greptest
# Starting comment
fenestrOS
fenestros
# Another comment
555-5555
f

.fenestros

.fe

f
# End comment
```

Now use the **grep** command with the **-E** switch to remove all the comments and empty lines:

```
[root@centos8 ~]# grep -E -v '^(#|$)' /tmp/greptest
fenestrOS
fenestros
555-5555
f
.fenestros
.fe
f
```

**Important** - The expression '^(#|\$)' matches all lines beginning with the # character OR all lines with zero characters between the start and the end of the line.

Now use the **egrep** command to do the same thing, this time redirecting the output to the file **/tmp/greptest1**:

```
[root@centos8 ~]# egrep -v '^(#|$)' /tmp/greptest > /tmp/greptest1
[root@centos8 ~]# cat /tmp/greptest1
fenestrOS
fenestros
555-5555
f
.fenestros
.fe
£
```

**Important:** The above command is very useful when you want to quickly ascertain which directives are active in a very long configuration file.

Make the following changes to the greptest file:

```
[root@centos8 tmp]# vi greptest
[root@centos8 tmp]# cat greptest
# Starting comment
^ This line will be used to demonstrate the use of fgrep
fenestrOS
fenestros
# Another comment
555-5555
f

.fenestros

.fe

£
# End comment
```

Now use fgrep to match the line starting with the ^ character:

```
[root@centos8 ~]# fgrep '^' /tmp/greptest
^ This line will be used to demonstrate the use of fgrep
```

Compare the above output to that when using the grep command:

```
[root@centos8 ~]# grep '^' /tmp/greptest
# Starting comment
^ This line will be used to demonstrate the use of fgrep
fenestrOS
fenestros
# Another comment
555-5555
f

.fenestros

.fe

£
# End comment
```

As you can see, grep matched **every** line that had a *beginning*. In order to get the same result as the grep command, you need to use the following command:

```
[root@centos8 ~]# grep '^\\^' /tmp/greptest
^ This line will be used to demonstrate the use of fgrep
```

## The Stream EDitor SED

**sed** is an abbreviation of *Stream EDitor* and is a non-interactive text editor. sed's basic syntax is as follows:

```
sed [address] command [arguments] file
```

The specified commands are applied to each line in the file unless an *address* is specified. Sed prints all results to standard output and does not modify the source file. The address therefore specifies which lines are concerned by the command.

Sed's addresses are as follows:

address	Matching lines
x	Line number x
\$	The last line of the file
/BRE/	Lines matching the specified BRE
x,y	From line x to line y
/ERb1/, /ERb2/	All lines from the first line that matches the first BRE to the first line that matches the second BRE

Sed's commands are as follows:

command	Description
d	Do not show the matching line(s) on standard output
p	Show the matching line(s) on standard output
s	Do a substitution upon match
w	Write the matching line(s) to a file
=	Print the matching line's number
!	Exclude the line(s) matching the address

## Command Line Switches

**To do :** Use the **-help** option of the **fgrep** command to view the command line switches.

## LAB #5 - Using sed

Start by displaying the contents of the file **/etc/services** whilst inhibiting the display of the first 10 lines:

```
[root@centos8 ~]# sed '1,10d' /etc/services | more
# are included, only the more common ones.
#
# The latest IANA port assignments can be gotten from
#      http://www.iana.org/assignments/port-numbers
# The Well Known Ports are those from 0 through 1023.
# The Registered Ports are those from 1024 through 49151
# The Dynamic and/or Private Ports are those from 49152 through 65535
#
# Each line describes one service, and is of the form:
#
# service-name  port/protocol  [aliases ...]  [# comment]

tcpmux          1/tcp           # TCP port service multiplexer
tcpmux          1/udp           # TCP port service multiplexer
rje             5/tcp           # Remote Job Entry
rje             5/udp           # Remote Job Entry
echo            7/tcp
echo            7/udp
discard         9/tcp           sink null
discard         9/udp           sink null
systat          11/tcp          users
systat          11/udp          users
daytime         13/tcp
--Plus--
```

Now display the same file without any commented lines:

```
[root@centos8 ~]# sed '/^#/d' /etc/services | more
```

```
tcpmux      1/tcp          # TCP port service multiplexer
tcpmux      1/udp          # TCP port service multiplexer
rje         5/tcp          # Remote Job Entry
rje         5/udp          # Remote Job Entry
echo        7/tcp
echo        7/udp
discard     9/tcp          sink null
discard     9/udp          sink null
systat      11/tcp         users
systat      11/udp         users
daytime     13/tcp
daytime     13/udp
qotd        17/tcp          quote
qotd        17/udp          quote
msp          18/tcp          # message send protocol
msp          18/udp          # message send protocol
chargen     19/tcp          ttystt source
chargen     19/udp          ttystt source
ftp-data    20/tcp
ftp-data    20/udp
ftp         21/tcp
ftp         21/udp          fspd fspd
--Plus--
```

**Important:** Note that the BRE is preceded and followed by the / character.

Continue by trying to just display the first two lines of **/etc/passwd**:

```
[root@centos8 ~]# sed '1,2p' /etc/passwd
root:x:0:0:root:/root:/bin/bash
root:x:0:0:root:/root:/bin/bash
```

```
bin:x:1:1:bin:/bin:/sbin/nologin  
bin:x:1:1:bin:/bin:/sbin/nologin  
daemon:x:2:2:daemon:/sbin:/sbin/nologin  
adm:x:3:4:adm:/var/adm:/sbin/nologin  
lp:x:4:7:lp:/var/spool/lpd:/sbin/nologin  
...
```

**Important:** As you can see in the above output, the command used displays not only the first two lines but **also** the entire file. As a result the first two lines are displayed twice.

To force sed to **only** display the lines you specify, use the **-n** switch:

```
<code>  
[root@centos8 ~]# sed -n '1,2p' /etc/passwd  
root:x:0:0:root:/root:/bin/bash  
bin:x:1:1:bin:/bin:/sbin/nologin
```

Now you want to use sed to strip out the comments from **/etc/services** and save the result to **/tmp/sedtest** without displaying anything on standard output:

```
[root@centos8 ~]# sed -n '/^#/!w /tmp/sedtest' /etc/services  
[root@centos8 ~]# more /tmp/sedtest  
  
tcpmux      1/tcp          # TCP port service multiplexer  
tcpmux      1/udp          # TCP port service multiplexer  
rje         5/tcp          # Remote Job Entry  
rje         5/udp          # Remote Job Entry  
echo        7/tcp            
echo        7/udp            
discard     9/tcp          sink null  
discard     9/udp          sink null
```

```
systat      11/tcp      users
systat      11/udp      users
daytime     13/tcp
daytime     13/udp
qotd        17/tcp      quote
qotd        17/udp      quote
msp          18/tcp      # message send protocol
msp          18/udp      # message send protocol
chargen     19/tcp      ttyst source
chargen     19/udp      ttyst source
ftp-data    20/tcp
ftp-data    20/udp
ftp          21/tcp
ftp          21/udp      fspd fspd
--Plus-- (0%)
```

**Important:** In the above command, we start by matching all lines in the /etc/services file that start with a #. We then tell sed to write all non-matching lines to the file /tmp/sedtest.

Finally, create a file containing **user1,user2,user3**. Replace the commas by spaces:

```
[root@centos8 ~]# echo "user1,user2,user3" > /tmp/sedtest1
[root@centos8 ~]# cat /tmp/sedtest1 | sed 's/,/ /g'
user1 user2 user3
```

**Important:** The above sed command has the following format **s/what is to be replaced (character, string or BRE)/replacement/g**. The use of the **g** character forces sed to replace all occurrences that match. If **g** is not stipulated, only the first matching occurrence is replaced.

## The Text Processor AWK

### Presentation

The **awk** command acts as a **filter** and uses the following syntax:

```
awk [-F separator] '[condition] {action}' [file]
```

### Field Separation

A file or a text stream is treated by awk as a sequence of records. By default each line is a record. Awk analyzes each record, separating that record into fields and then storing the record and fields in variables:

- \$0 contains the record,
- \$1 contains the first field,
- \$2 contains the second field,
- e.t.c.

Awk interprets a space as a separator between fields unless a different separator is specified with the **-F** option.

Awk then checks if the condition is met for each record and if so, executes the action.

For example, the following command takes the standard output of **ls -l** and prints fields 8, 3 and 4 to standard output:

```
[root@centos8 tmp]# ls -l | awk '{print $8 $3 $4}'  
05:23rootroot  
05:21rootroot  
05:28rootroot  
05:29rootroot  
12:05rootroot
```

Since there is no condition, the action is applied to every record.

To make the output easier to read, you can include spaces between each field:

```
[root@centos8 tmp]# ls -l | awk '{print $8 " " $3 " " $4}'  
05:23 root root  
05:21 root root  
05:28 root root  
05:29 root root  
12:05 root root
```

## Conditions

### A regular expression applied to a record

- Format:
  - /regular expression/ {action}
- Exemple:
  - /hello/ {print \$0}

### A regular expression applied to a field

- Format:
  - \$n ~/regular expression/ {action}
  - \$n!~/regular expression/ {action}
- Examples:
  - \$1 ~/hello/ {print \$0}
  - \$1!~/hello/ {print \$0}

## Comparisons

- Format:
  - \$n operator criteria {action}
- Example:
  - \$1 > 20 {print \$0}

## Operators

Operator	Condition
<	Less than
≤	Less than or equal to
==	Equal to
!=	Different
>	Greater than
≥	Greater than or equal to

## Logical Operators

- Format:
  - test1 logical operator test2 {action}
- Example:
  - \$1 ~/hello/ && \$2 > 20 {print \$0}

## Operators

Operator	Condition
	OR
&&	AND
!	NO

## Built-in Variables

- Format:
  - expression1, expression2 {instruction}
- Example:
  - NR==7, NR==10 {print \$0}

## Variables

Variable	Description
NR	Total number of records
NF	Total number of fields
FILENAME	Name of current input file
FS	The field separator, by default a <b>space</b> or <b>tab</b>
RS	The record separator, by default <b>newline</b>
OFS	Output field separator, by default a <b>space</b>
ORS	Output record separator, by default <b>newline</b>
OFMT	Numeric output format, by default "%.6g"

## Awk Scripts

To combine several *clauses* composed of *conditions* and *actions* in the same statement, it is advisable to create an *awk script*. Awk scripts are comprised of three sections:

- **BEGIN**
  - This section is executed once, prior to executing the body of the script
- **BODY**
  - This section contains the clauses to be applied to each line
- **END**
  - This section is executed once, after executing the body of the script

For example:

```
[root@centos8 tmp]# cat > scriptawk
BEGIN {
    print "Liste des systèmes de fichiers montés"
{print $0}
END {
    print "====="
[^D]
```

Now apply the awk script to **/etc/fstab** :

```
[root@centos8 tmp]# awk -f scriptawk /etc/mtab
Liste des systèmes de fichiers montés
sysfs /sys sysfs rw,seclabel,nosuid,nodev,noexec,relatime 0 0
proc /proc proc rw,nosuid,nodev,noexec,relatime 0 0
devtmpfs /dev devtmpfs rw,seclabel,nosuid,size=1897604k,nr_inodes=474401,mode=755 0 0
securityfs /sys/kernel/security securityfs rw,nosuid,nodev,noexec,relatime 0 0
tmpfs /dev/shm tmpfs rw,seclabel,nosuid,nodev 0 0
devpts /dev/pts devpts rw,seclabel,nosuid,noexec,relatime,gid=5,mode=620,ptmxmode=000 0 0
tmpfs /run tmpfs rw,seclabel,nosuid,nodev,mode=755 0 0
tmpfs /sys/fs/cgroup tmpfs ro,seclabel,nosuid,nodev,noexec,mode=755 0 0
cgroup /sys/fs/cgroup/systemd cgroup
rw,seclabel,nosuid,nodev,noexec,relatime,xattr,release_agent=/usr/lib/systemd/systemd-cgroups-agent,name=systemd
0 0
pstore /sys/fs/pstore pstore rw,seclabel,nosuid,nodev,noexec,relatime 0 0
bpf /sys/fs/bpf bpf rw,nosuid,nodev,noexec,relatime,mode=700 0 0
cgroup /sys/fs/cgroup/hugetlb cgroup rw,seclabel,nosuid,nodev,noexec,relatime,hugetlb 0 0
cgroup /sys/fs/cgroup/devices cgroup rw,seclabel,nosuid,nodev,noexec,relatime,devices 0 0
cgroup /sys/fs/cgroup/cpuset cgroup rw,seclabel,nosuid,nodev,noexec,relatime,cpuset 0 0
cgroup /sys/fs/cgroup/cpu,cpuacct cgroup rw,seclabel,nosuid,nodev,noexec,relatime,cpu,cpuacct 0 0
cgroup /sys/fs/cgroup/net_cls,net_prio cgroup rw,seclabel,nosuid,nodev,noexec,relatime,net_cls,net_prio 0 0
cgroup /sys/fs/cgroup/rdma cgroup rw,seclabel,nosuid,nodev,noexec,relatime,rdma 0 0
cgroup /sys/fs/cgroup/freezer cgroup rw,seclabel,nosuid,nodev,noexec,relatime,freezer 0 0
cgroup /sys/fs/cgroup/perf_event cgroup rw,seclabel,nosuid,nodev,noexec,relatime,perf_event 0 0
cgroup /sys/fs/cgroup/pids cgroup rw,seclabel,nosuid,nodev,noexec,relatime,pids 0 0
```

```
cgroup /sys/fs/cgroup/blkio cgroup rw,seclabel,nosuid,nodev,noexec,relatime,blkio 0 0
cgroup /sys/fs/cgroup/memory cgroup rw,seclabel,nosuid,nodev,noexec,relatime,memory 0 0
none /sys/kernel/tracing tracefs rw,seclabel,relatime 0 0
configfs /sys/kernel/config configfs rw,relatime 0 0
/dev/sda3 / xfs rw,seclabel,relatime,attr2,inode64,logbufs=8,logbsize=32k,noquota 0 0
selinuxfs /sys/fs/selinux selinuxfs rw,relatime 0 0
systemd-1 /proc/sys/fs/binfmt_misc autofs
rw,relatime,fd=36,pgrp=1,timeout=0,minproto=5,maxproto=5,direct,pipe_ino=1976 0 0
debugfs /sys/kernel/debug debugfs rw,seclabel,relatime 0 0
hugetlbfs /dev/hugepages hugetlbfs rw,seclabel,relatime,pagesize=2M 0 0
mqueue /dev/mqueue mqueue rw,seclabel,relatime 0 0
/dev/sdal /boot ext4 rw,seclabel,relatime 0 0
sunrpc /var/lib/nfs/rpc_pipefs rpc_pipefs rw,relatime 0 0
tmpfs /run/user/1000 tmpfs rw,seclabel,nosuid,nodev,relatime,size=382740k,mode=700,uid=1000,gid=1000 0 0
binfmt_misc /proc/sys/fs/binfmt_misc binfmt_misc rw,relatime 0 0
tracefs /sys/kernel/debug/tracing tracefs rw,seclabel,relatime 0 0
=====
=====
```

**Important:** Note the use of the **-f** switch which instructs awk to use the script.

## The printf function

The integrated function **printf** is used to format output and has the following syntax:

```
printf ("string",expression1,expression2,...,expressionn)
```

**string** contains as many formats as there are expressions.

Examples of formats commonly used are:

Format	Description
%30s	Displays a right-justified string of 30 characters
%-30s	Displays a left-justified string of 30 characters
%4d	Displays a right-justified decimal number of 4 digits
%-4d	Displays a left-justified decimal number of 4 digits

## Control Statements

awk can use the following control statements:

**if**

```
if condition {  
  
    command  
    command  
    ...  
}  
  
else {  
  
    command  
    command  
    ...  
}
```

or:

```
if condition  
  
    command
```

```
else
```

```
    command
```

```
for
```

```
for variable in list {
```

```
    command
```

```
    command
```

```
    ...
```

```
}
```

or:

```
for variable in list
```

```
    command
```

or in the case of a table:

```
for key in table {
```

```
    print key , table[key]
```

```
}
```

```
while
```

```
while condition {
```

```
command  
command  
...  
}
```

### do-while

```
do {  
  
    command  
    command  
    ...  
  
} while condition
```

## Command Line Switches

**To do :** Use the **-help** option of the **awk** command to view the command line switches.

## LAB #6 - Using awk

Create the file **sales.txt**:

```
[root@centos8 tmp]# vi sales.txt  
[root@centos8 tmp]# cat sales.txt  
# Annual sales by French department  
# 83
```

```
Desktops$100
Portables$50
Servers$21
Ipads$4
```

```
# 06
Desktops$99
Portables$60
Servers$8
Ipads$16
```

```
# 13
Desktops$130
Portables$65
Servers$12
Ipads$56
```

Now create the awk script **sales.awk**:

```
[root@centos8 tmp]# vi sales.awk
[root@centos8 tmp]# cat sales.awk
# BEGIN
BEGIN {
    FS="§"
}
# TABLE
$1 !~ /#/ && $1 !~ /^$/ {
    sales[$1]+=$2
}
# END
END {
    for (pc in sales)
        printf("PC Type : %s \t Sales (06+13+83) : %10d\n",pc,sales[pc]);
```

{

This script contains 13 lines. The purpose of this script is to calculate the total number of computers sold in the three French departments from the data present in the **sales** file:

```
1 # BEGIN
2 BEGIN {
3     FS="§"
4 }
5 # TABLE
6 $1 !~ /^#/ && $1 !~ /^$/ {
7     sales[$1]+=$2
8 }
9 # END
10 END {
11     for (pc in sales)
12     printf("PC Type : %s \t Sales (06+13+83) : %10d\n",pc,sales[pc]);
13 }
```

It is important that you understand the key lines in the above script:

- Line **3**,
  - Defines a new field separator in a BEGIN section.
- Line **6**,
  - Discards all commented and empty lines.
- Line **7**,
  - The table's key is **\$1**, in other words the different types of computers. Against each key, the number of each type of computer sold is stored in **\$2**. The **+=** characters indicate that the value stored in **\$2** is incremental.
- Line **12**,
  - Uses printf to format the output of each line in the table.

Now execute the script and check the output is correct:

```
[root@centos8 tmp]# awk -f /tmp/sales.awk /tmp/sales.txt
```

PC Type : Portables	Sales (06+13+83) :	175
PC Type : Ipads	Sales (06+13+83) :	76
PC Type : Desktops	Sales (06+13+83) :	329
PC Type : Servers	Sales (06+13+83) :	41

## LAB #7 - Other Useful Commands

### 7.1 - The expand Command

The **expand** command converts tabulations in a file to spaces and prints the results to STDOUT. With no file as an argument or with the - character as an argument, the command takes its input from STDIN.

Create the following file:

```
[root@centos8 tmp]# vi expand
[root@centos8 tmp]# cat expand
un   deux      trois     quatre    cinq
```

>

Now use the **-vet** switches of the **cat** command to view the non-printable characters:

```
[root@centos8 tmp]# cat -vet expand
```

```
un^Ideux^Itrois^Iquatre^Icinq$  
un^Ideux^Itrois^Iquatre^Icinq$
```

**Important :** As you can see the tabulations are shown as ^I and the end of each line as a \$.

Now use the **expand** command to convert the tabulations into spaces and send the result to the **expand1** file:

```
[root@centos8 ~]# expand expand > expand1
```

View the resulting **expand1** file with the **cat** command and the **-vet** switches:

```
[root@centos8 ~]# cat -vet expand1  
un      deux      trois      quatre      cinq$  
un      deux      trois      quatre      cinq$
```

**Important :** As you can see, the tabulations have been changed into spaces.

## Command Line Switches

**To do :** Use the **-help** option of the **expand** command to view the command line switches.

## 7.2 - The unexpand Command

The **expand** command converts spaces in a file to tabulations and prints the results to STDOUT. With no file as an argument or with the **-** character as an argument, the command takes its input from STDIN.

Now use the **expand** command to convert the spaces in the **expand1** file into tabulations and send the result to the **expand2** file:

```
[root@centos8 ~]# cat -vet expand1
un      deux      trois      quatre      cinq$
```

```
[root@centos8 ~]# unexpand -a expand1 > expand2
```

```
[root@centos8 ~]# cat -vet expand2
un^Ideux^Itrois^Iquatre^Icinq$
```

**Important :** Note that the spaces have been replaced by tabulations.

### Command Line Switches

**To do :** Use the **-help** option of the **unexpand** command to view the command line switches.

### 7.3 - The cut Command

The cut command splits each line of a file into columns starting with column 1. Each column contains one character. The command can also be used to split lines into fields where the default separator is a tabulation. The default separator can be changed by using the **-d** switch.

Select the first 7 columns of the **/etc/passwd** file:

```
[root@centos8 tmp]# cut -c1-7 /etc/passwd
root:x:
bin:x:1
daemon:
adm:x:3
lp:x:4:
sync:x:
shutdown
halt:x:
mail:x:
operator
games:x
ftp:x:1
nobody:
dbus:x:
systemd
systemd
tss:x:5
polkitd
unbound
libstor
cockpit
sssd:x:
setroub
sshd:x:
chrony:
tcpdump
trainee
cockpit
rngd:x:
gluster
qemu:x:
```

```
rpc:x:3
rpcuser
saslaut
radvd:x
dnsmasq
```

In order to select columns 1 to 5, columns 10 to 15 and columns 30 and higher, us the following command:

```
[root@centos8 tmp]# cut -c1-5,10-15,30- /etc/passwd
root:0:rootsh
bin:x:bin:/bin
daemon2:2:dain/nologin
adm:x:adm:/nologin
lp:x:lp:/var/bin/nologin
sync:0:syncnc
shutdow:6:0::/sbin/shutdown
halt:0:haltalt
mail:12:maiail:/sbin/nologin
operax:11:0t:/sbin/nologin
games2:100:es:/sbin/nologin
ftp:x50:FTP:/sbin/nologin
nobod65534:verflow User:::/sbin/nologin
dbus::81:Syus:::/sbin/nologin
systemredumstemd Core Dumper:::/sbin/nologin
systemesolvemtd Resolver:::/sbin/nologin
tss:x59:Acche trousers package to sandbox the tcsd daemon:/dev/null:/sbin/nologin
polkit:998:9lkitd:::/sbin/nologin
unbou:997:9 resolver:/etc/unbound:/sbin/nologin
libstremgmt:on account for libstoragemgmt:/var/run/lsm:/sbin/nologin
cockpit:99 cockpit-ws:/nonexisting:/sbin/nologin
sssd:4:990:::/sbin/nologin
setroshoot:r/lib/setroubleshoot:/sbin/nologin
sshd::74:Prted SSH:/var/empty/sshd:/sbin/nologin
chron992:98rony:/sbin/nologin
```

```
tcpdu:72:72gin
train:1000:home/trainee:/bin/bash
cockpinstaUser for cockpit-ws instances:/nonexisting:/sbin/nologin
rngd:0:986:Generator Daemon:/var/lib/rngd:/sbin/nologin
glust:989:9aemons:/run/gluster:/sbin/nologin
qemu:7:107:bin/nologin
rpc:x32:Rpcar/lib/rpcbind:/sbin/nologin
rpcus:29:29ser:/var/lib/nfs:/sbin/nologin
saslax:988:ser:/run/saslauthd:/sbin/nologin
radvd5:75:rbin/nologin
dnsma:983:9P and DNS server:/var/lib/dnsmasq:/sbin/nologi
```

In order to select the 2nd, 4th and 6th column, use the following command:

```
[root@centos8 tmp]# cut -d: -f2,4,6 /etc/passwd
x:0:/root
x:1:/bin
x:2:/sbin
x:4:/var/adm
x:7:/var/spool/lpd
x:0:/sbin
x:0:/sbin
x:0:/sbin
x:12:/var/spool/mail
x:0:/root
x:100:/usr/games
x:50:/var/ftp
x:65534:/
x:81:/
x:997:/
x:193:/
x:59:/dev/null
x:996:/
x:994:/etc/unbound
```

```
x:993:/var/run/lsm
x:991:/nonexisting
x:990:/
x:989:/var/lib/setroubleshoot
x:74:/var/empty/sshd
x:988:/var/lib/chrony
x:72:/
x:1000:/home/trainee
x:987:/nonexisting
x:986:/var/lib/rngd
x:985:/run/gluster
x:107:/
x:32:/var/lib/rpcbind
x:29:/var/lib/nfs
x:76:/run/saslauthd
x:75:/
x:983:/var/lib/dnsmasq
```

### Command Line Switches

**To do :** Use the **-help** option of the **cut** command to view the command line switches.

## 7.4 - The uniq Command

The following command is used to extract the Primary Group GIDs from the **/etc/passwd** file:

```
[root@centos8 tmp]# cut -d: -f4 /etc/passwd | sort -n | uniq
0
1
```

```
2
4
7
12
29
32
50
59
72
74
75
76
81
100
107
193
983
985
986
987
988
989
990
991
993
994
996
997
1000
65534
```

**Important:** Note the use of the **uniq** command to remove duplicates from the list.

## Command Line Switches

**To do :** Use the **-help** option of the **uniq** command to view the command line switches.

## 7.5 - The tr Command

The **tr** command is used to substitute certain characters by other characters. This command **only** accepts data from standard input (hence the pipe):

```
[root@centos8 tmp]# cat /etc/passwd | tr "[a-z]" "[A-Z]"
ROOT:X:0:0:ROOT:/ROOT:/BIN/BASH
BIN:X:1:1:BIN:/BIN:/SBIN/NOLOGIN
DAEMON:X:2:2:DAEMON:/SBIN:/SBIN/NOLOGIN
ADM:X:3:4:ADM:/VAR/ADM:/SBIN/NOLOGIN
LP:X:4:7:LP:/VAR/SPPOOL/LPD:/SBIN/NOLOGIN
SYNC:X:5:0:SYNC:/SBIN:/BIN/SYNC
SHUTDOWN:X:6:0:SHUTDOWN:/SBIN:/SBIN/SHUTDOWN
HALT:X:7:0:HALT:/SBIN:/SBIN/HALT
MAIL:X:8:12:MAIL:/VAR/SPPOOL/MAIL:/SBIN/NOLOGIN
OPERATOR:X:11:0:OPERATOR:/ROOT:/SBIN/NOLOGIN
GAMES:X:12:100:GAMES:/USR/GAMES:/SBIN/NOLOGIN
FTP:X:14:50:FTP USER:/VAR/FTP:/SBIN/NOLOGIN
NOBODY:X:65534:65534:KERNEL OVERFLOW USER:/:/SBIN/NOLOGIN
DBUS:X:81:81:SYSTEM MESSAGE BUS:/:/SBIN/NOLOGIN
SYSTEMD-COREDUMP:X:999:997:SYSTEMD CORE DUMPER:/:/SBIN/NOLOGIN
SYSTEMD-RESOLVE:X:193:193:SYSTEMD RESOLVER:/:/SBIN/NOLOGIN
TSS:X:59:59:ACCOUNT USED BY THE TROUSERS PACKAGE TO SANDBOX THE TCSD DAEMON:/DEV/NULL:/SBIN/NOLOGIN
POLKITD:X:998:996:USER FOR POLKITD:/:/SBIN/NOLOGIN
UNBOUND:X:997:994:UNBOUND DNS RESOLVER:/ETC/UNBOUND:/SBIN/NOLOGIN
LIBSTORAGEMGMT:X:996:993:DAEMON ACCOUNT FOR LIBSTORAGEMGMT:/VAR/RUN/LSM:/SBIN/NOLOGIN
COCKPIT-WS:X:995:991:USER FOR COCKPIT-WS:/NONEXISTING:/SBIN/NOLOGIN
```

```
SSSD:X:994:990:USER FOR SSSD:/:/SBIN/NOLOGIN
SETROUBLESHOOT:X:993:989::/VAR/LIB/SETROUBLESHOOT:/SBIN/NOLOGIN
SSHD:X:74:74:PRIVILEGE-SEPARATED SSH:/VAR/EMPTY/SSHD:/SBIN/NOLOGIN
CHRONY:X:992:988::/VAR/LIB/CHRONY:/SBIN/NOLOGIN
TCPDUMP:X:72:72:::/SBIN/NOLOGIN
TRAINEE:X:1000:1000:TRAINEE:/HOME/TRAINEE:/BIN/BASH
COCKPIT-WSINSTANCE:X:991:987:USER FOR COCKPIT-WS INSTANCES:/NONEXISTING:/SBIN/NOLOGIN
RNGD:X:990:986:RANDOM NUMBER GENERATOR DAEMON:/VAR/LIB/RNGD:/SBIN/NOLOGIN
GLUSTER:X:989:985:GLUSTERFS DAEMONS:/RUN/GLUSTER:/SBIN/NOLOGIN
QEMU:X:107:107:QEMU USER:/:/SBIN/NOLOGIN
RPC:X:32:32:RPCBIND DAEMON:/VAR/LIB/RPCBIND:/SBIN/NOLOGIN
RPCUSER:X:29:29:RPC SERVICE USER:/VAR/LIB/NFS:/SBIN/NOLOGIN
SASLAUTH:X:988:76:SASLAUTHD USER:/RUN/SASLAUTHD:/SBIN/NOLOGIN
RADVD:X:75:75:RADVD USER:/:/SBIN/NOLOGIN
DNSMASQ:X:983:983:DNSMASQ DHCP AND DNS SERVER:/VAR/LIB/DNSMASQ:/SBIN/NOLOGIN
```

#### Command Line Switches

**To do :** Use the **-help** option of the **tr** command to view the command line switches.

#### 7.6 - The paste Command

The **paste** command concatenates lines from n files. For example:

```
[root@centos8 tmp]# paste -d: /etc/passwd /etc/shadow
root:x:0:0:root:/root:/bin/bash:root:$6$9Sa1IumuSlJc8EBg$8jGU/4xGCXy64QuBSMyK0C6/FWs41rdY5tzF5/7yHG6FRS2Y2e0JIcst
1JbcvNoqMPDU4lpZ6THW97jwGuQNf1::0:99999:7:::
bin:x:1:1:bin:/bin:/sbin/nologin:bin:*:18264:0:99999:7:::
daemon:x:2:2:daemon:/sbin:/sbin/nologin:daemon:*:18264:0:99999:7:::
```

```
adm:x:3:4:adm:/var/adm:/sbin/nologin:adm:*:18264:0:99999:7:::
lp:x:4:7:lp:/var/spool/lpd:/sbin/nologin:lp:*:18264:0:99999:7:::
sync:x:5:0:sync:/sbin/bin/sync:sync:*:18264:0:99999:7:::
shutdown:x:6:0:shutdown:/sbin:/sbin/shutdown:shutdown:*:18264:0:99999:7:::
halt:x:7:0:halt:/sbin:/sbin/halt:halt:*:18264:0:99999:7:::
mail:x:8:12:mail:/var/spool/mail:/sbin/nologin:mail:*:18264:0:99999:7:::
operator:x:11:0:operator:/root:/sbin/nologin:operator:*:18264:0:99999:7:::
games:x:12:100:games:/usr/games:/sbin/nologin:games:*:18264:0:99999:7:::
ftp:x:14:50:FTP User:/var/ftp:/sbin/nologin:ftp:*:18264:0:99999:7:::
nobody:x:65534:65534:Kernel Overflow User:/sbin/nologin:nobody:*:18264:0:99999:7:::
dbus:x:81:81:System message bus:/sbin/nologin:dbus:!!!:18390:::::
systemd-coredump:x:999:997:systemd Core Dumper:/sbin/nologin:systemd-coredump:!!!:18390:::::
systemd-resolve:x:193:193:systemd Resolver:/sbin/nologin:systemd-resolve:!!!:18390:::::
tss:x:59:59:Account used by the trousers package to sandbox the tcscd
daemon:/dev/null:/sbin/nologin:tss:!!!:18390:::::
polkitd:x:998:996:User for polkitd:/sbin/nologin:polkitd:!!!:18390:::::
unbound:x:997:994:Unbound DNS resolver:/etc/unbound:/sbin/nologin:unbound:!!!:18390:::::
libstoragemgmt:x:996:993:daemon account for
libstoragemgmt:/var/run/lsm:/sbin/nologin:libstoragemgmt:!!!:18390:::::
cockpit-ws:x:995:991:User for cockpit-ws:/nonexisting:/sbin/nologin:cockpit-ws:!!!:18390:::::
sssd:x:994:990:User for sssd:/sbin/nologin:sssd:!!!:18390:::::
setroubleshoot:x:993:989:/var/lib/setroubleshoot:/sbin/nologin:setroubleshoot:!!!:18390:::::
sshd:x:74:74:Privilege-separated SSH:/var/empty/sshd:/sbin/nologin:sshd:!!!:18390:::::
chrony:x:992:988:/var/lib/chrony:/sbin/nologin:chrony:!!!:18390:::::
tcpdump:x:72:72:::/sbin/nologin:tcpdump:!!!:18390:::::
trainee:x:1000:1000:trainee:/home/trainee:/bin/bash:trainee:$6$p4H0AHX7UAzw1nQh$VZL12Lye.mR8v1IP2e4f0PCW8DzHj2MMA
aA7r2ZLoTnQN7Ziskce3bo/xTMu1bXZm5GebJjSw7.X5tABVNoJ2://:0:99999:7:::
cockpit-wsinstance:x:991:987:User for cockpit-ws instances:/nonexisting:/sbin/nologin:cockpit-
wsinstance:!!!:18736:::::
rngd:x:990:986:Random Number Generator Daemon:/var/lib/rngd:/sbin/nologin:rngd:!!!:18736:::::
gluster:x:989:985:GlusterFS daemons:/run/gluster:/sbin/nologin:gluster:!!!:18736:::::
qemu:x:107:107:qemu user:/sbin/nologin:qemu:!!!:18736:::::
rpc:x:32:32:Rpcbind Daemon:/var/lib/rpcbind:/sbin/nologin:rpc:!!!:18736:0:99999:7:::
rpcuser:x:29:29:RPC Service User:/var/lib/nfs:/sbin/nologin:rpcuser:!!!:18736:::::
```

```
saslauth:x:988:76:Saslauthd user:/run/saslauthd:/sbin/nologin:saslauth:!!!:18736:::::  
radvd:x:75:75:radvd user:/sbin/nologin:radvd:!!!:18736:::::  
dnsmasq:x:983:983:Dnsmasq DHCP and DNS server:/var/lib/dnsmasq:/sbin/nologin:dnsmasq:!!!:18736:::::
```

## Command Line Switches

**To do :** Use the **-help** option of the **paste** command to view the command line switches.

## 7.7 - The split Command

The split command is used to divide a large file into smaller segments. Create an empty 250 MB file as follows:

```
[root@centos8 tmp]# dd if=/dev/zero of=/file bs=1024k count=250  
250+0 records in  
250+0 records out  
262144000 bytes (262 MB, 250 MiB) copied, 0.143522 s, 1.8 GB/s
```

Now use the split command to divide the file into 5 smaller files each of 50:

```
[root@centos8 tmp]# split -b 50m /file filepart  
[root@centos8 tmp]# ls -l | grep filepart  
-rw-r--r--. 1 root root 52428800 Apr 20 07:14 filepartaa  
-rw-r--r--. 1 root root 52428800 Apr 20 07:14 filepartab  
-rw-r--r--. 1 root root 52428800 Apr 20 07:14 filepartac  
-rw-r--r--. 1 root root 52428800 Apr 20 07:14 filepartad  
-rw-r--r--. 1 root root 52428800 Apr 20 07:14 filepartae
```

**Important:** Note that the 5 files were created in the current working directory.

You can re-construct the original file by using the **cat** command:

```
[root@centos8 tmp]# cat fileparta* > newfile
[root@centos8 tmp]# ls -l | grep newf
-rw-r--r--. 1 root root 262144000 Apr 20 07:15 newfile
[root@centos8 tmp]# ls -l / | grep file
-rw-r--r--. 1 root root 262144000 Apr 20 07:14 file
```

#### Command Line Switches

**To do :** Use the **-help** option of the **split** command to view the command line switches.

#### 7.8 - The diff Command

The diff command compares two files and indicates what changes need to be made to the first file in order that it be identical to the second file.

Copy the **/etc/passwd** file to the **/root** directory:

```
[root@centos8 ~]# cp /etc/passwd /root
```

Edit the **\*/root/passwd** file as shown:

```
...
trainee10:x:1000:1000:trainee:/home/trainee:/bin/bash
...
```

Delete the **tcpdump** entry and add the following line to the end of **/root/passwd**:

```
...
Linux est super!
```

Now compare the two files:

```
[root@centos8 tmp]# diff /etc/passwd /root/passwd
26,27c26
< tcpdump:x:72:72:::/sbin/nologin
< trainee:x:1000:1000:trainee:/home/trainee:/bin/bash
---
> trainee10:x:1000:1000:trainee:/home/trainee:/bin/bash
36a36
> Linux est super!
```

In this output you will notice the < and > characters. The first makes reference to the first file, /etc/passwd, whilst the second makes reference to the second file, /root/passwd.

The output **26,27c26** means that line 27 needs to be changed in /etc/passwd so that is the same as line 26 in /root/passwd.

The output **36a36** means that at line 36 in /etc/passwd line 36 from /root/passwd needs to be added.

### Command Line Switches

**To do :** Use the **-help** option of the **diff** command to view the command line switches.

## 7.9 - The cmp Command

The **cmp** command compares two files character by character. By default, the command stops after finding the first difference:

```
[root@centos8 tmp]# cmp /root/passwd /etc/passwd  
/root/passwd /etc/passwd differ: byte 1300, line 26
```

The **-l** switch shows all of the differences in a three column format:

```
[root@centos8 tmp]# cmp -l /root/passwd /etc/passwd | more  
cmp: EOF on /root/passwd after byte 1931  
1300 162 143  
1301 141 160  
1302 151 144  
1303 156 165  
1304 145 155  
1305 145 160  
1306 61 72  
1307 60 170  
1309 170 67  
1310 72 62  
1311 61 72  
1312 60 67  
1313 60 62  
1314 60 72  
1316 61 57  
1317 60 72  
1318 60 57  
1319 60 163  
1320 72 142  
1321 164 151  
1322 162 156  
1323 141 57  
1324 151 156  
--More--
```

The first column represents the character **number**, the second column represents the **ASCII octal value** of the character in the **/root/passwd** file and the third column represents the **ASCII octal value** of the character in the **/etc/passwd** file.

### Command Line Switches

**To do :** Use the **-help** option of the **cmp** command to view the command line switches.

## 7.10 - The patch Command

La commande **patch** est utilisée pour appliquer des modifications à un fichier à partir d'un fichier patch qui contient les modifications contained within a patch file to an older version of a file so that it becomes the newer version of the file.

The **patch** command is not installed by default in RHEL/CentOS 8:

```
[root@centos8 ~]# dnf install patch -y
```

If you recall, you made some changes to the **/tmp/greptest** et **/tmp/greptest1** files:

```
[root@centos8 tmp]# cat /tmp/greptest
# Starting comment
^ This line will be used to demonstrate the use of fgrep
fenestrOS
fenestros
# Another comment
555-5555
f

.fenestros
```

```
.fe  
£  
# End comment  
[root@centos8 tmp]# cat /tmp/greptest1  
fenestrOS  
fenestros  
555-5555  
f  
.fenestros  
.fe  
£
```

Now create a patch file containing the modifications that need to be applied to /tmp/greptest in order for it to be identical to /tmp/greptest1:

```
[root@centos8 tmp]# diff -u greptest greptest1 > greptest.patch
```

A look at the patch file shows the changes that need to be made to the **greptest** file:

```
[root@centos8 tmp]# cat greptest.patch  
--- greptest    2021-04-20 05:23:52.710188632 -0400  
+++ greptest1   2021-04-20 05:21:55.189882834 -0400  
@@ -1,14 +1,7 @@  
-# Starting comment  
-^ This line will be used to demonstrate the use of fgrep  
 fenestrOS  
 fenestros  
-# Another comment  
555-5555  
f  
-  
.fenestros  
-  
.fe
```

```
-  
f  
-# End comment
```

Now apply the patch file:

```
[root@centos8 tmp]# patch < greptest.patch  
patching file greptest
```

Finally, check the contents of the patched **greptest** file:

```
[root@centos8 tmp]# cat greptest  
fenestrOS  
fenestros  
555-5555  
f  
.fenestros  
.fe  
f
```

#### Command Line Switches

**To do :** Use the **-help** option of the **patch** command to view the command line switches.

#### 7.11 - The strings Command

The **strings** Command is used to extract any printable string in one or more object files or executables. An object file is an intermediary file used when compiling.

The format of an object file is **ELF** (Executable and Linkable Format). This same format is also used for:

- executables,
- shared libraries,
- core dumps.

Used as is, the command extracts all strings greater than 4 characters in length:

```
[root@centos8 tmp]# strings /usr/bin/passwd | more
/lib64/ld-linux-x86-64.so.2
libuser.so.1
g_value_get_int64
is_selinux_enabled
_ITM_deregisterTMCloneTable
g_free
g_value_array_get_nth
audit_open
__gmon_start__
g_value_get_string
g_type_check_value_holds
g_value_get_long
freecon
audit_log_acct_message
_ITM_registerTMCloneTable
lu_ent_set_string
lu_ent_get_first_value_strdup
lu_error_free
lu_user_lock
lu_strerror
lu_ent_free
lu_ent_new
lu_user_modify
--More--
```

Print the offset within the file before each string:

```
[root@centos8 tmp]# strings -t d /usr/bin/passwd | more
 624 /lib64/ld-linux-x86-64.so.2
2809 libuser.so.1
2822 g_value_get_int64
2840 is_selinux_enabled
2859 _ITM_deregisterTMCloneTable
2887 g_free
2894 g_value_array_get_nth
2916 audit_open
2927 __gmon_start__
2942 g_value_get_string
2961 g_type_check_value_holds
2986 g_value_get_long
3003 freecon
3011 audit_log_acct_message
3034 _ITM_registerTMCloneTable
3060 lu_ent_set_string
3078 lu_ent_get_first_value_strdup
3108 lu_error_free
3122 lu_user_lock
3135 lu_strerror
3147 lu_ent_free
3159 lu_ent_new
3170 lu_user_modify
--More--
```

The **-t** switch can take one of three arguments that specify the numbering system to use:

Argument	Numbering System
d	Decimal
o	Octal
x	Hexadecimal

The **-n** switch prints sequences of characters that are at least **min-len** characters long, instead of the default 4:

```
[root@centos8 tmp]# strings -t d -n 15 /usr/bin/passwd | more
 624 /lib64/ld-linux-x86-64.so.2
2822 g_value_get_int64
2840 is_selinux_enabled
2859 _ITM_deregisterTMCloneTable
2894 g_value_array_get_nth
2942 g_value_get_string
2961 g_type_check_value_holds
2986 g_value_get_long
3011 audit_log_acct_message
3034 _ITM_registerTMCloneTable
3060 lu_ent_set_string
3078 lu_ent_get_first_value_strdup
3185 lu_prompt_console
3212 lu_user_lookup_name
3239 lu_ent_set_long
3281 lu_user_removepass
3300 libgobject-2.0.so.0
3320 libglib-2.0.so.0
3379 poptHelpOptions
3435 poptSetOtherOptionHelp
3543 libpam_misc.so.0
3584 audit_log_user_avc_message
3611 libselinux.so.1
--More--
```

The **-f** switch prints the name of the file before each string:

```
[root@centos8 tmp]# strings -f /bin/* | grep "(c)"
/bin/broadwayd: * (c) Joel Martin (github@martintribe.org), used with permission
/bin/broadwayd: /** @license zlib.js 2012 - imaya [ https://github.com/imaya/zlib.js ] The MIT License
*/(function() {'use strict';var l=void 0,p=this;function q(c,d){var a=c.split("."),b=p;!(a[0]in
```

```

b)&&b.execScript&&b.execScript("var "+a[0]);for(var
e;a.length&&(e=a.shift()));!a.length&&d!==l?b[e]=d:b=b[e]?b[e]:b[e]={};var r="undefined"!==typeof
Uint8Array&&"undefined"!==typeof Uint16Array&&"undefined"!==typeof Uint32Array;function u(c){var
d=c.length,a=0,b=Number.POSITIVE_INFINITY,e,f,g,h,k,m,s,n,t;for(n=0;n<d;++n)c[n]>a&&(a=c[n]),c[n]<b&&(b=c[n]);e=1
<f=new
(r?Uint32Array:Array)(e);g=1;h=0;for(k=2;g<=a;){for(n=0;n<d;++n)if(c[n]===g){m=0;s=h;for(t=0;t<g;++t)m=m<<1|s&1,s
>>=1;for(t=m;t<e;t+=k)f[t]=g<<16|n;++h}++g;h<<=1;k<<=1}return[f,a,b]};function
v(c,d){this.g=[];this.h=32768;this.c=this.f=this.d=this.k=0;this.input=r?new
Uint8Array(c):c;this.l=!1;this.i=w;this.p!=1;if(d||!(d=={}))d.index&&(this.d=d.index),d.bufferSize&&(this.h=d.buff
erSize),d.bufferType&&(this.i=d.bufferType),d.resize&&(this.p=d.resize);switch(this.i){case
x:this.a=32768;this.b=new (r?Uint8Array:Array)(32768+this.h+258);break;case w:this.a=0;this.b=new
(r?Uint8Array:Array)(this.h);this.e=this.u;this.m=this.r;this.j=this.s;break;default:throw Error("invalid inflate
mode");
/bin/broadwayd: v.prototype.t=function(){for(;!this.l;){var c=y(this,3);c&1&&(this.l!=0);c>>>=1;switch(c){case
0:var d=this.input,a=this.d,b=this.b,e=this.a,f=l,g=l,h=l,k=b.length,m=l;this.c=this.f=0;f=d[a++];if(f==l)throw
Error("invalid uncompressed block header: LEN (first byte)");g=f;f=d[a++];if(f==l)throw Error("invalid
uncompressed block header: LEN (second byte)");g|=f<<8;f=d[a++];if(f==l)throw Error("invalid uncompressed block
header: NLEN (first byte)");h=f;f=d[a++];if(f==l)throw Error("invalid uncompressed block header: NLEN (second
byte)");h|=
/bin/broadwayd: function B(c){function d(a,c,b){var d,f,e,g;for(g=0;g<a;)switch(d=S(this,c),d){case
16:for(e=3+y(this,2);e--;)b[g++]=f;break;case 17:for(e=3+y(this,3);e--;)b[g++]=0;f=0;break;case
18:for(e=11+y(this,7);e--;)b[g++]=0;f=0;break;default:f=b[g++]=d}return b}var
a=y(c,5)+257,b=y(c,5)+1,e=y(c,4)+4,f=new
(r?Uint8Array:Array)(D.length),g,h,k,m;for(m=0;m<e;++m)f[D[m]]=y(c,3);g=u(f);h=new (r?Uint8Array:Array)(a);k=new
(r?Uint8Array:Array)(b);c.j(u(d.call(c,a,g,h)),u(d.call(c,b,g,k)))
/bin/broadwayd: v.prototype.e=function(){var c=new
(r?Uint8Array:Array)(this.a-32768),d=this.a-32768,a,b,e=this.b;if(r)c.set(e.subarray(32768,c.length));else{a=0;fo
r(b=c.length;a<b;++a)c[a]=e[a+32768]}this.g.push(c);this.k+=c.length;if(r)e.set(e.subarray(d,d+32768));else
for(a=0;32768>a;++a)e[a]=e[d+a];this.a=32768;return e};
/bin/broadwayd: v.prototype.u=function(c){var
d,a=this.input.length/this.d+1|0,b,e,f,g=this.input,h=this.b;c&&("number"==typeof c.o&&(a=c.o),"number"==typeof
c.q&&(a+=c.q));2>a?(b=(g.length-
this.d)/this.n[2],f=258*(b/2)|0,e=f<h.length?h.length+f:h.length<<1):e=h.length*a;r?(d=new
Uint8Array(e),d.set(h)):d=h;return this.b=d};

```

```
/bin/btrace: # Copyright (c) 2005 Silicon Graphics, Inc.
/bin/chcat:           if len(c) > 0 and (c[0] == "+" or c[0] == "-"):
/bin/chcat:               if len(c) > 0 and c[0] == "+":
/bin/chcat:               if len(c) > 0 and c[0] == "-":
/bin/gprof: @(#) Copyright (c) 1983 Regents of the University of California.
/bin/lsusb.py: # Copyright (c) 2009 Kurt Garloff <garloff@suse.de>
/bin/lsusb.py: # Copyright (c) 2013 Kurt Garloff <kurt@garloff.de>
/bin/pinentry: # Copyright (c) 2006 SUSE LINUX Products GmbH, Nuernberg, Germany.
/bin/pinentry: # Copyright (c) 2009 Fedora Project
/bin/pinentry: # Copyright (c) 2014-2015 Red Hat
/bin/pkgconf: Copyright (c) 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018
/bin/pkg-config: Copyright (c) 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018
/bin/pod2usage: # Copyright (c) 1996-2000 by Bradford Appleton. All rights reserved.
/bin/pod2usage: # Copyright (c) 2001-2016 by Marek Rouchal.
/bin/qemu-img: Copyright (c) 2003-2019 Fabrice Bellard and the QEMU Project developers
/bin/qemu-img: Copyright (c) 2003-2019 Fabrice Bellard and the QEMU Project developers
/bin/qemu-io: Copyright (c) 2003-2019 Fabrice Bellard and the QEMU Project developers
/bin/qemu-nbd: Copyright (c) 2003-2019 Fabrice Bellard and the QEMU Project developers
/bin/qemu-pr-helper: Copyright (c) 2003-2019 Fabrice Bellard and the QEMU Project developers
/bin/rescan-scsi-bus.sh: # (c) 1998--2010 Kurt Garloff <kurt@garloff.de>, GNU GPL v2 or v3
/bin/rescan-scsi-bus.sh: # (c) 2006--2018 Hannes Reinecke, GNU GPL v2 or later
/bin/rngtest: Copyright (c) 2004 by Henrique de Moraes Holschuh
/bin/screen: Copyright (c) 2015-2017 Juergen Weigert, Alexander Naumov, Amadeusz Slawinski
/bin/screen: Copyright (c) 2010-2014 Juergen Weigert, Sadrul Habib Chowdhury
/bin/screen: Copyright (c) 2008-2009 Juergen Weigert, Michael Schroeder, Micah Cowan, Sadrul Habib Chowdhury
/bin/screen: Copyright (c) 1993-2007 Juergen Weigert, Michael Schroeder
/bin/screen: Copyright (c) 1987 Oliver Laumann
/bin/scsi-rescan: # (c) 1998--2010 Kurt Garloff <kurt@garloff.de>, GNU GPL v2 or v3
/bin/scsi-rescan: # (c) 2006--2018 Hannes Reinecke, GNU GPL v2 or later
/bin/sg_test_rdbuf: (c) Douglas Gilbert, Kurt Garloff, 2000-2007, GNU GPL
/bin/slabinfo: slabinfo 4/15/2011. (c) 2007 sgi/(c) 2011 Linux Foundation.
/bin/ssh-copy-id: # Copyright (c) 1999-2016 Philip Hands <phil@hands.com>
/bin/strace: Copyright (c) 1991-%s The strace developers <%s>.
/bin/strace-log-merge: # Copyright (c) 2012-2019 The strace developers.
```

```
/bin/systemd-analyze: hashmap_update(*uid_refs, UID_TO_PTR(uid), UINT32_TO_PTR(c)) >= 0
/bin/tree: $Version: $ tree v1.7.0 (c) 1996 - 2014 by Steve Baker, Thomas Moore, Francesc Rocher, Florian Sesser,
Kyosuke Tokoro $
/bin/usb-devices: # Copyright (c) 2009 Greg Kroah-Hartman <greg@kroah.com>
/bin/usb-devices: # Copyright (c) 2009 Randy Dunlap <rdunlap@xenotime.net>
/bin/usb-devices: # Copyright (c) 2009 Frans Pop <elendil@planet.nl>
/bin/vdo: # Copyright (c) 2020 Red Hat, Inc.
/bin/vdo-by-dev: # Copyright (c) 2020 Red Hat, Inc.
/bin/vdostats: # Copyright (c) 2020 Red Hat, Inc.
/bin/zip: Copyright (c) 1990-2008 Info-ZIP. All rights reserved.
/bin/zip: Copyright (c) 1990-2008 Info-ZIP - Type '%s "-L"' for software license.
/bin/zip: bzip2 code and library copyright (c) Julian      (See the bzip2 license for t
/bin/zipcloak: Copyright (c) 1990-2008 Info-ZIP. All rights reserved.
/bin/zipcloak: Copyright (c) 1990-2008 Info-ZIP - Type '%s "-L"' for software license.
/bin/zipnote: Copyright (c) 1990-2008 Info-ZIP. All rights reserved.
/bin/zipnote: Copyright (c) 1990-2008 Info-ZIP - Type '%s "-L"' for software license.
/bin/zipsplit: Copyright (c) 1990-2008 Info-ZIP. All rights reserved.
/bin/zipsplit: Copyright (c) 1990-2008 Info-ZIP - Type '%s "-L"' for software license.
```

### Command Line Switches

**To do :** Use the **-help** option of the **strings** command to view the command line switches.

## 7.12 - The comm Command

This command compares two text files and prints the differences to standard output:

```
[root@centos8 tmp]# comm /etc/passwd /root/passwd
root:x:0:0:root:/root:/bin/bash
```

```
bin:x:1:1:bin:/sbin/nologin
daemon:x:2:2:daemon:/sbin/nologin
adm:x:3:4:adm:/var/adm:/sbin/nologin
lp:x:4:7:lp:/var/spool/lpd:/sbin/nologin
sync:x:5:0:sync:/sbin:/bin sync
shutdown:x:6:0:shutdown:/sbin:/sbin/shutdown
halt:x:7:0:halt:/sbin:/sbin/halt
mail:x:8:12:mail:/var/spool/mail:/sbin/nologin
operator:x:11:0:operator:/root:/sbin/nologin
games:x:12:100:games:/usr/games:/sbin/nologin
ftp:x:14:50:FTP User:/var/ftp:/sbin/nologin
nobody:x:65534:65534:Kernel Overflow User:/:/sbin/nologin
dbus:x:81:81:System message bus:/:/sbin/nologin
systemd-coredump:x:999:997:systemd Core Dumper:/:/sbin/nologin
systemd-resolve:x:193:193:systemd Resolver:/:/sbin/nologin
tss:x:59:59:Account used by the trousers package to sandbox the tcsd daemon:/dev/null:/sbin/nologin
polkitd:x:998:996:User for polkitd:/:/sbin/nologin
unbound:x:997:994:Unbound DNS resolver:/etc/unbound:/sbin/nologin
libstoragemgmt:x:996:993:daemon account for libstoragemgmt:/var/run/lsm:/sbin/nologin
cockpit-ws:x:995:991:User for cockpit-ws:/nonexisting:/sbin/nologin
sssd:x:994:990:User for sssd:/:/sbin/nologin
setroubleshoot:x:993:989::/var/lib/setroubleshoot:/sbin/nologin
sshd:x:74:74:Privilege-separated SSH:/var/empty/sshd:/sbin/nologin
chrony:x:992:988::/var/lib/chrony:/sbin/nologin
tcpdump:x:72:72:::/sbin/nologin
trainee10:x:1000:1000:trainee:/home/trainee:/bin/bash
comm: file 2 is not in sorted order
cockpit-wsinstance:x:991:987:User for cockpit-ws instances:/nonexisting:/sbin/nologin
rngd:x:990:986:Random Number Generator Daemon:/var/lib/rngd:/sbin/nologin
gluster:x:989:985:GlusterFS daemons:/run/gluster:/sbin/nologin
qemu:x:107:107:qemu user:/:/sbin/nologin
rpc:x:32:32:Rpcbind Daemon:/var/lib/rpcbind:/sbin/nologin
rpcuser:x:29:29:RPC Service User:/var/lib/nfs:/sbin/nologin
saslauth:x:988:76:Saslauthd user:/run/saslauthd:/sbin/nologin
```

```
radvd:x:75:75:radvd user:::/sbin/nologin
dnsmasq:x:983:983:Dnsmasq DHCP and DNS server:/var/lib/dnsmasq:/sbin/nologin
Linux est super!
trainee:x:1000:1000:trainee:/home/trainee:/bin/bash
comm: file 1 is not in sorted order
cockpit-wsinstance:x:991:987:User for cockpit-ws instances:/nonexisting:/sbin/nologin
rngd:x:990:986:Random Number Generator Daemon:/var/lib/rngd:/sbin/nologin
gluster:x:989:985:GlusterFS daemons:/run/gluster:/sbin/nologin
qemu:x:107:107:qemu user:::/sbin/nologin
rpc:x:32:32:Rpcbind Daemon:/var/lib/rpcbind:/sbin/nologin
rpcuser:x:29:29:RPC Service User:/var/lib/nfs:/sbin/nologin
saslauth:x:988:76:Saslauthd user:/run/saslauthd:/sbin/nologin
radvd:x:75:75:radvd user:::/sbin/nologin
dnsmasq:x:983:983:Dnsmasq DHCP and DNS server:/var/lib/dnsmasq:/sbin/nologin
```

**Important:** The lines to the left are those that only appear in the first file. The lines on the right are those that exist in both files. The lines in the middle are those that only exist in the second file.

If you only want to see the lines common to both files, use the following command:

```
[root@centos8 tmp]# comm -12 /etc/passwd /root/passwd
root:x:0:0:root:/root:/bin/bash
bin:x:1:1:bin:/bin:/sbin/nologin
daemon:x:2:2:daemon:/sbin:/sbin/nologin
adm:x:3:4:adm:/var/adm:/sbin/nologin
lp:x:4:7:lp:/var/spool/lpd:/sbin/nologin
sync:x:5:0:sync:/sbin:/bin/sync
shutdown:x:6:0:shutdown:/sbin:/sbin/shutdown
halt:x:7:0:halt:/sbin:/sbin/halt
mail:x:8:12:mail:/var/spool/mail:/sbin/nologin
```

```
operator:x:11:0:operator:/sbin/nologin
games:x:12:100:games:/usr/games:/sbin/nologin
ftp:x:14:50:FTP User:/var/ftp:/sbin/nologin
nobody:x:65534:65534:Kernel Overflow User:/sbin/nologin
dbus:x:81:81:System message bus:/sbin/nologin
systemd-coredump:x:999:997:systemd Core Dumper:/sbin/nologin
systemd-resolve:x:193:193:systemd Resolver:/sbin/nologin
tss:x:59:59:Account used by the trousers package to sandbox the tcsd daemon:/dev/null:/sbin/nologin
polkitd:x:998:996:User for polkitd:/sbin/nologin
unbound:x:997:994:Unbound DNS resolver:/etc/unbound:/sbin/nologin
libstoragemgmt:x:996:993:daemon account for libstoragemgmt:/var/run/lsm:/sbin/nologin
cockpit-ws:x:995:991:User for cockpit-ws:/nonexisting:/sbin/nologin
sssd:x:994:990:User for sssd:/sbin/nologin
setroubleshoot:x:993:989::/var/lib/setroubleshoot:/sbin/nologin
sshd:x:74:74:Privilege-separated SSH:/var/empty/sshd:/sbin/nologin
chrony:x:992:988::/var/lib/chrony:/sbin/nologin
comm: file 2 is not in sorted order
comm: file 1 is not in sorted order
```

#### Command Line Switches

**To do :** Use the **-help** option of the **comm** command to view the command line switches.

#### 7.13 - The head Command

The **head** command is used to display the first **x** lines of a file. The default value of **x** is 10:

```
[root@centos8 tmp]# head /etc/passwd
root:x:0:0:root:/root:/bin/bash
```

```
bin:x:1:1:bin:/bin:/sbin/nologin
daemon:x:2:2:daemon:/sbin:/sbin/nologin
adm:x:3:4:adm:/var/adm:/sbin/nologin
lp:x:4:7:lp:/var/spool/lpd:/sbin/nologin
sync:x:5:0:sync:/sbin:/bin sync
shutdown:x:6:0:shutdown:/sbin:/sbin/shutdown
halt:x:7:0:halt:/sbin:/sbin/halt
mail:x:8:12:mail:/var/spool/mail:/sbin/nologin
operator:x:11:0:operator:/root:/sbin/nologin
```

You can change the default value of x by using the **-n** switch:

```
[root@centos8 tmp]# head -n 15 /etc/passwd
root:x:0:0:root:/root:/bin/bash
bin:x:1:1:bin:/bin:/sbin/nologin
daemon:x:2:2:daemon:/sbin:/sbin/nologin
adm:x:3:4:adm:/var/adm:/sbin/nologin
lp:x:4:7:lp:/var/spool/lpd:/sbin/nologin
sync:x:5:0:sync:/sbin:/bin sync
shutdown:x:6:0:shutdown:/sbin:/sbin/shutdown
halt:x:7:0:halt:/sbin:/sbin/halt
mail:x:8:12:mail:/var/spool/mail:/sbin/nologin
operator:x:11:0:operator:/root:/sbin/nologin
games:x:12:100:games:/usr/games:/sbin/nologin
ftp:x:14:50:FTP User:/var/ftp:/sbin/nologin
nobody:x:65534:65534:Kernel Overflow User:/:/sbin/nologin
dbus:x:81:81:System message bus:/:/sbin/nologin
systemd-coredump:x:999:997:systemd Core Dumper:/:/sbin/nologin
```

The command can also be used to display the first **y** bytes of a file by using the **-c** switch:

```
[root@centos8 tmp]# head -c 150 /etc/passwd
root:x:0:0:root:/root:/bin/bash
bin:x:1:1:bin:/bin:/sbin/nologin
```

```
daemon:x:2:2:daemon:/sbin:/sbin/nologin
adm:x:3:4:adm:/var/adm:/sbin/nologin
lp:x:4:7[root@centos8 tmp]#
```

If the value of **y** is negative, head displays all bytes in the file **except** the last **y** bytes:

```
[root@centos8 tmp]# head -c -150 /etc/passwd
root:x:0:0:root:/root:/bin/bash
bin:x:1:1:bin:/bin:/sbin/nologin
daemon:x:2:2:daemon:/sbin:/sbin/nologin
adm:x:3:4:adm:/var/adm:/sbin/nologin
lp:x:4:7:lp:/var/spool/lpd:/sbin/nologin
sync:x:5:0:sync:/sbin:/bin/sync
shutdown:x:6:0:shutdown:/sbin:/sbin/shutdown
halt:x:7:0:halt:/sbin:/sbin/halt
mail:x:8:12:mail:/var/spool/mail:/sbin/nologin
operator:x:11:0:operator:/root:/sbin/nologin
games:x:12:100:games:/usr/games:/sbin/nologin
ftp:x:14:50:FTP User:/var/ftp:/sbin/nologin
nobody:x:65534:65534:Kernel Overflow User:/:/sbin/nologin
dbus:x:81:81:System message bus:/:/sbin/nologin
systemd-coredump:x:999:997:systemd Core Dumper:/:/sbin/nologin
systemd-resolve:x:193:193:systemd Resolver:/:/sbin/nologin
tss:x:59:59:Account used by the trousers package to sandbox the tcsd daemon:/dev/null:/sbin/nologin
polkitd:x:998:996:User for polkitd:/:/sbin/nologin
unbound:x:997:994:Unbound DNS resolver:/etc/unbound:/sbin/nologin
libstoragemgmt:x:996:993:daemon account for libstoragemgmt:/var/run/lsm:/sbin/nologin
cockpit-ws:x:995:991:User for cockpit-ws:/nonexisting:/sbin/nologin
sssd:x:994:990:User for sssd:/:/sbin/nologin
setroubleshoot:x:993:989::/var/lib/setroubleshoot:/sbin/nologin
sshd:x:74:74:Privilege-separated SSH:/var/empty/sshd:/sbin/nologin
chrony:x:992:988::/var/lib/chrony:/sbin/nologin
tcpdump:x:72:72:::/sbin/nologin
trainee:x:1000:1000:trainee:/home/trainee:/bin/bash
```

```
cockpit-wsinstance:x:991:987:User for cockpit-ws instances:/nonexisting:/sbin/nologin
rngd:x:990:986:Random Number Generator Daemon:/var/lib/rngd:/sbin/nologin
gluster:x:989:985:GlusterFS daemons:/run/gluster:/sbin/nologin
qemu:x:107:107:qemu user:/sbin/nologin
rpc:x:32:32:Rpcbind Daemon:/var/lib/rpcbind:/sbin/nologin
rpcuser:x:29:29:RPC Service User:/var/lib/nfs:/sbin/nologin
saslauth:x:988:76:Saslauthd us[root@centos8 tmp]#
```

Both x and y can accept multipliers:

```
[root@centos8 tmp]# head -c 1b /etc/passwd
root:x:0:0:root:/root:/bin/bash
bin:x:1:1:bin:/bin:/sbin/nologin
daemon:x:2:2:daemon:/sbin:/sbin/nologin
adm:x:3:4:adm:/var/adm:/sbin/nologin
lp:x:4:7:lp:/var/spool/lpd:/sbin/nologin
sync:x:5:0:sync:/sbin:/bin sync
shutdown:x:6:0:shutdown:/sbin:/sbin/shutdown
halt:x:7:0:halt:/sbin:/sbin/halt
mail:x:8:12:mail:/var/spool/mail:/sbin/nologin
operator:x:11:0:operator:/root:/sbin/nologin
games:x:12:100:games:/usr/games:/sbin/nologin
ftp:x:14:50:FTP User:/var/ftp:/sbin/nologin
nobody:x:65534:65534:Kernel Overflow [root@centos8 tmp]#
```

```
[root@centos8 tmp]# head -c 512 /etc/passwd
root:x:0:0:root:/root:/bin/bash
bin:x:1:1:bin:/bin:/sbin/nologin
daemon:x:2:2:daemon:/sbin:/sbin/nologin
adm:x:3:4:adm:/var/adm:/sbin/nologin
lp:x:4:7:lp:/var/spool/lpd:/sbin/nologin
sync:x:5:0:sync:/sbin:/bin sync
shutdown:x:6:0:shutdown:/sbin:/sbin/shutdown
halt:x:7:0:halt:/sbin:/sbin/halt
```

```
mail:x:8:12:mail:/var/spool/mail:/sbin/nologin
operator:x:11:0:operator:/root:/sbin/nologin
games:x:12:100:games:/usr/games:/sbin/nologin
ftp:x:14:50:FTP User:/var/ftp:/sbin/nologin
nobody:x:65534:65534:Kernel Overflow [root@centos8 tmp]#
```

The common multipliers are:

Multiplier	Number of bytes
b	512
KB	1000
K	1024
MB	1000*1000
M	1024*1024
GB	1000*1000*1000
G	1024*1024*1024

#### Command Line Switches

**To do :** Use the **-help** option of the **head** command to view the command line switches.

#### 7.14 - The tail Command

The **tail** command is used to display the last **x** lines of a file. The default value of **x** is 10:

```
[root@centos8 tmp]# tail /etc/passwd
trainee:x:1000:1000:trainee:/home/trainee:/bin/bash
cockpit-wsinstance:x:991:987:User for cockpit-ws instances:/nonexisting:/sbin/nologin
rngd:x:990:986:Random Number Generator Daemon:/var/lib/rngd:/sbin/nologin
```

```
gluster:x:989:985:GlusterFS daemons:/run/gluster:/sbin/nologin
qemu:x:107:107:qemu user:/sbin/nologin
rpc:x:32:32:Rpcbind Daemon:/var/lib/rpcbind:/sbin/nologin
rpcuser:x:29:29:RPC Service User:/var/lib/nfs:/sbin/nologin
saslauth:x:988:76:Saslauthd user:/run/saslauthd:/sbin/nologin
radvd:x:75:75:radvd user:/sbin/nologin
dnsmasq:x:983:983:Dnsmasq DHCP and DNS server:/var/lib/dnsmasq:/sbin/nologin
```

You can change the default value of x by using the **-n** switch:

```
root@centos8 tmp]# tail -n 15 /etc/passwd
sssd:x:994:990:User for sssd:/sbin/nologin
setroubleshoot:x:993:989::/var/lib/setroubleshoot:/sbin/nologin
sshd:x:74:74:Privilege-separated SSH:/var/empty/sshd:/sbin/nologin
chrony:x:992:988::/var/lib/chrony:/sbin/nologin
tcpdump:x:72:72::/sbin/nologin
trainee:x:1000:1000:trainee:/home/trainee:/bin/bash
cockpit-wsinstance:x:991:987:User for cockpit-ws instances:/nonexisting:/sbin/nologin
rngd:x:990:986:Random Number Generator Daemon:/var/lib/rngd:/sbin/nologin
gluster:x:989:985:GlusterFS daemons:/run/gluster:/sbin/nologin
qemu:x:107:107:qemu user:/sbin/nologin
rpc:x:32:32:Rpcbind Daemon:/var/lib/rpcbind:/sbin/nologin
rpcuser:x:29:29:RPC Service User:/var/lib/nfs:/sbin/nologin
saslauth:x:988:76:Saslauthd user:/run/saslauthd:/sbin/nologin
radvd:x:75:75:radvd user:/sbin/nologin
dnsmasq:x:983:983:Dnsmasq DHCP and DNS server:/var/lib/dnsmasq:/sbin/nologin
```

The command can also be used to display the last **y** bytes of a file by using the **-c** switch:

```
[root@centos8 tmp]# tail -c 150 /etc/passwd
er:/run/saslauthd:/sbin/nologin
radvd:x:75:75:radvd user:/sbin/nologin
dnsmasq:x:983:983:Dnsmasq DHCP and DNS server:/var/lib/dnsmasq:/sbin/nologin
```

If the value of **y** is positive, tail displays all bytes in the file after the **y**th byte:

```
[root@centos8 tmp]# tail -c +150 /etc/passwd
7:lp:/var/spool/lpd:/sbin/nologin
sync:x:5:0:sync:/sbin:/bin/sync
shutdown:x:6:0:shutdown:/sbin:/sbin/shutdown
halt:x:7:0:halt:/sbin:/sbin/halt
mail:x:8:12:mail:/var/spool/mail:/sbin/nologin
operator:x:11:0:operator:/root:/sbin/nologin
games:x:12:100:games:/usr/games:/sbin/nologin
ftp:x:14:50:FTP User:/var/ftp:/sbin/nologin
nobody:x:65534:65534:Kernel Overflow User:/sbin/nologin
dbus:x:81:81:System message bus:/sbin/nologin
systemd-coredump:x:999:997:systemd Core Dumper:/sbin/nologin
systemd-resolve:x:193:193:systemd Resolver:/sbin/nologin
tss:x:59:59:Account used by the trousers package to sandbox the tcsd daemon:/dev/null:/sbin/nologin
polkitd:x:998:996:User for polkitd:/sbin/nologin
unbound:x:997:994:Unbound DNS resolver:/etc/unbound:/sbin/nologin
libstoragemgmt:x:996:993:daemon account for libstoragemgmt:/var/run/lsm:/sbin/nologin
cockpit-ws:x:995:991:User for cockpit-ws:/nonexisting:/sbin/nologin
sssd:x:994:990:User for sssd:/sbin/nologin
setroubleshoot:x:993:989::/var/lib/setroubleshoot:/sbin/nologin
sshd:x:74:74:Privilege-separated SSH:/var/empty/sshd:/sbin/nologin
chrony:x:992:988::/var/lib/chrony:/sbin/nologin
tcpdump:x:72:72::/sbin/nologin
trainee:x:1000:1000:trainee:/home/trainee:/bin/bash
cockpit-wsinstance:x:991:987:User for cockpit-ws instances:/nonexisting:/sbin/nologin
rngd:x:990:986:Random Number Generator Daemon:/var/lib/rngd:/sbin/nologin
gluster:x:989:985:GlusterFS daemons:/run/gluster:/sbin/nologin
qemu:x:107:107:qemu user:/sbin/nologin
rpc:x:32:32:Rpcbind Daemon:/var/lib/rpcbind:/sbin/nologin
rpcuser:x:29:29:RPC Service User:/var/lib/nfs:/sbin/nologin
saslauth:x:988:76:Saslauthd user:/run/saslauthd:/sbin/nologin
radvd:x:75:75:radvd user:/sbin/nologin
```

```
dnsmasq:x:983:983:Dnsmasq DHCP and DNS server:/var/lib/dnsmasq:/sbin/nologin
```

Both x and y can accept multipliers:

```
[root@centos8 tmp]# tail -c 1b /etc/passwd
instances:/nonexisting:/sbin/nologin
rngd:x:990:986:Random Number Generator Daemon:/var/lib/rngd:/sbin/nologin
gluster:x:989:985:GlusterFS daemons:/run/gluster:/sbin/nologin
qemu:x:107:107:qemu user:/sbin/nologin
rpc:x:32:32:Rpcbind Daemon:/var/lib/rpcbind:/sbin/nologin
rpcuser:x:29:29:RPC Service User:/var/lib/nfs:/sbin/nologin
saslauth:x:988:76:Saslauthd user:/run/saslauthd:/sbin/nologin
radvd:x:75:75:radvd user:/sbin/nologin
dnsmasq:x:983:983:Dnsmasq DHCP and DNS server:/var/lib/dnsmasq:/sbin/nologin
```

```
[root@centos8 tmp]# tail -c 512 /etc/passwd
instances:/nonexisting:/sbin/nologin
rngd:x:990:986:Random Number Generator Daemon:/var/lib/rngd:/sbin/nologin
gluster:x:989:985:GlusterFS daemons:/run/gluster:/sbin/nologin
qemu:x:107:107:qemu user:/sbin/nologin
rpc:x:32:32:Rpcbind Daemon:/var/lib/rpcbind:/sbin/nologin
rpcuser:x:29:29:RPC Service User:/var/lib/nfs:/sbin/nologin
saslauth:x:988:76:Saslauthd user:/run/saslauthd:/sbin/nologin
radvd:x:75:75:radvd user:/sbin/nologin
dnsmasq:x:983:983:Dnsmasq DHCP and DNS server:/var/lib/dnsmasq:/sbin/nologin
```

The common multipliers are:

<b>Multiplier</b>	<b>Number of bytes</b>
b	512
KB	1000
K	1024
MB	1000*1000

Multiplier	Number of bytes
M	1024*1024
GB	1000*1000*1000
G	1024*1024*1024

A useful switch to use with the tail command is **-f**. This switch continually updates the output:

```
[root@centos8 tmp]# tail -f /var/log/messages
Apr 20 06:27:53 centos8 systemd[1]: Started dnf makecache.
Apr 20 07:28:29 centos8 systemd[1]: Starting dnf makecache...
Apr 20 07:28:29 centos8 dnf[12423]: Metadata cache refreshed recently.
Apr 20 07:28:29 centos8 systemd[1]: dnf-makecache.service: Succeeded.
Apr 20 07:28:29 centos8 systemd[1]: Started dnf makecache.
Apr 20 07:50:35 centos8 systemd[1]: Started /usr/bin/systemctl start man-db-cache-update.
Apr 20 07:50:35 centos8 systemd[1]: Starting man-db-cache-update.service...
Apr 20 07:50:36 centos8 systemd[1]: man-db-cache-update.service: Succeeded.
Apr 20 07:50:36 centos8 systemd[1]: Started man-db-cache-update.service.
Apr 20 07:50:36 centos8 systemd[1]: run-r85917a32bc86476980c271609ba457fb.service: Succeeded.
^C
```

### Command Line Switches

**To do :** Use the **-help** option of the **head** command to view the command line switches.

### LAB #8 - Use the grep, tr and cut to extract your IPv4 address from the output of ifconfig

```
[root@centos8 tmp]# ifconfig ens18
ens18: flags=4163<UP,BROADCAST,RUNNING,MULTICAST> mtu 1500
      inet 10.0.2.45 netmask 255.255.255.0 broadcast 10.0.2.255
```

```
inet6 fe80::86b6:8d39:cab2:d84d  prefixlen 64  scopeid 0x20<link>
ether 4e:b1:31:bd:5d:b2  txqueuelen 1000  (Ethernet)
RX packets 11473  bytes 24023891 (22.9 MiB)
RX errors 0  dropped 0  overruns 0  frame 0
TX packets 9521  bytes 1744650 (1.6 MiB)
TX errors 0  dropped 0  overruns 0  carrier 0  collisions 0

[root@centos8 tmp]# ifconfig ens18 | grep "inet"
    inet 10.0.2.45  netmask 255.255.255.0  broadcast 10.0.2.255
    inet6 fe80::86b6:8d39:cab2:d84d  prefixlen 64  scopeid 0x20<link>

[root@centos8 tmp]# ifconfig ens18 | grep "inet" | grep -v "inet6"
    inet 10.0.2.45  netmask 255.255.255.0  broadcast 10.0.2.255

[root@centos8 tmp]# ifconfig ens18 | grep "inet" | grep -v "inet6" | tr -s " " ":" 
:inet:10.0.2.45:netmask:255.255.255.0:broadcast:10.0.2.255

[root@centos8 tmp]# ifconfig ens18 | grep "inet" | grep -v "inet6" | tr -s " " ":" | cut -d: -f3
10.0.2.45
```

**Important :** Note the use of the **-s** switch with the **tr** command. This switch replaces a string of x identical characters with a single character.

## LAB #9 - Use the grep, awk and sed to extract your IPv4 address from the output of ip

```
[root@centos8 tmp]# ip addr show ens18
2: ens18: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc fq_codel state UP group default qlen 1000
    link/ether 4e:b1:31:bd:5d:b2 brd ff:ff:ff:ff:ff:ff
    inet 10.0.2.45/24 brd 10.0.2.255 scope global noprefixroute ens18
        valid_lft forever preferred_lft forever
```

```
inet6 fe80::86b6:8d39:cab2:d84d/64 scope link noprefixroute
  valid_lft forever preferred_lft forever

[root@centos8 tmp]# ip addr show ens18 | grep "inet"
  inet 10.0.2.45/24 brd 10.0.2.255 scope global noprefixroute ens18
    inet6 fe80::86b6:8d39:cab2:d84d/64 scope link noprefixroute

[root@centos8 tmp]# ip addr show ens18 | grep "inet" | grep -v "inet6"
  inet 10.0.2.45/24 brd 10.0.2.255 scope global noprefixroute ens18

[root@centos8 tmp]# ip addr show ens18 | grep "inet" | grep -v "inet6" | awk '{ print $2; }'
10.0.2.45/24

[root@centos8 tmp]# ip addr show ens18 | grep "inet" | grep -v "inet6" | awk '{ print $2; }' | sed 's/\.*$//'
10.0.2.45
```

---

Copyright © 2023 Hugh Norris.